| Scout Report sent out | |
|---|-------------------|
| Noted in the NID File | |
| Location map pinned | |
| Approval or Disapproval Letter | - III |
| Date Completed, P. & A. or operation, suspended | 3-28-59 Wich Ries |
| Pin changed on location map | |
| A A to broces but the time and Record of A & P | |
| Favor Shut-Off Test | |
| e e o Test | |

| LE NOTATIONS Interest in NID File Interest on S.R. Sheet | | Checked by Chief Checked by Chief Checked by Chief Approximation | |
|---|---|--|----------------|
| ceest in Map Primed Card Indexed | V | Control of the Contro | |
| NOTE OF THE PARTY OF PER Land | *************************************** | | |
| Delegan was a | 3-28- | Estimate Pas tand | |
| G.A 03 | 5 , L | gg FMED | |
| 5 1 rs Log 10- | 7-59 | | |
| Harris Logs (No. | 1 | GR GRN S | ix perature of |


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Indian Agency | , |
|-----------------------|---|
| Window Rock | |
| Allottee MEVAJO | |
| Inn. No 14-20-603-370 | į |

| NOTICE OF INTENTION TO DRILL | | X | SUBSEQUENT REPORT OF WATER SHUT- | OFF |
|--|--|--|--|---|
| NOTICE OF INTENTION TO CHANGE P | | 1 1 | SUBSEQUENT REPORT OF SHOOTING OF | |
| IOTICE OF INTENTION TO TEST WATE | ER SHUT-OFF | - 1 11 | SUBSEQUENT REPORT OF ALTERING CA | |
| OTICE OF INTENTION TO REDRILL O | OR REPAIR WELL | s | SUBSEQUENT REPORT OF REDRILLING | OR REPAIR |
| IOTICE OF INTENTION TO SHOOT OR | ACIDIZE | s | SUBSEQUENT REPORT OF ABANDONMEN | т |
| NOTICE OF INTENTION TO PULL OR A | ALTER CASING | s | SUPPLEMENTARY WELL HISTORY | |
| OTICE OF INTENTION TO ABANDON | WELL | | | |
| (INDICAT | FE ABOVE BY CHECK MAR | RK NATURI | E OF REPORT, NOTICE, OR OTHER DATA |) |
| | | | 25 February | |
| | | • | line and 660 ft. from SLEM (Meridian) | line of sec |
| | | | uan | Utah |
| (Field) | (Coun | ity or Subd | ivision) (Sta | te or Territory) |
| | o objective sands; show ing points, and al | sizes, weig ll other im | OF WORK thts, and lengths of proposed casings; in a proposed work) | |
| Propose to dr: | o objective sands; show ing points, and al | sizes, weig ll other im | | |
| Propose to dr: | o objective sands; show ing points, and al | sizes, weig ll other im | thts, and lengths of proposed casings; in portant proposed work) | |
| Propose to drapproximately 5450 | o objective sands; show ing points, and al | sizes, weig Il other im | thts, and lengths of proposed casings; in portant proposed work) | n to a depth o |
| Propose to dr proximately 5450 Will set appro | ing points, and all well to | sizes, weig Il other im | thts, and lengths of proposed casings; in portant proposed work) t paradox formation of 13-3/8" conduct | n to a depth o |
| Propose to draproximately 5450 Will set approximately Will set approximately 5450 | o objective sands; show ing points, and all ill well to oximately 1 oximately 1 | sizes, weig Il other im | thts, and lengths of proposed casings; in portant proposed work) t paradox formatio | n to a depth o |
| Propose to dr proximately 5450 Will set appro | o objective sands; show ing points, and all ill well to oximately 1 oximately 1 | sizes, weig Il other im | thts, and lengths of proposed casings; in portant proposed work) t paradox formation of 13-3/8" conduct | n to a depth o |
| Propose to dr: proximately 5450 Will set approved Will set appro- circulated to | objective sands; show ing points, and all well to oximately 1 oximately 1 surface. | sizes, weig ll other im test | t paradox formation of 13-3/8" conduct of 8-5/8" surface | n to a depth of or pipe. |
| Propose to dra oproximately 5450 Will set appro Will set appro circulated to | objective sands; show ing points, and all well to oximately 1 oximately 1 surface. | sizes, weig ll other im test | t paradox formation of 13-3/8" conduct | n to a depth of or pipe. |
| Propose to dra proximately 5450 Will set approvided to the control of the control | objective sands; show ing points, and all well to oximately 1 oximately 1 surface. | sizes, weig ll other im test | t paradox formation of 13-3/8" conduct of 8-5/8" surface | n to a depth of or pipe. |
| Propose to dr: proximately 5450 Will set approving the set of the | objective sands; show ing points, and all ill well to oximately loximately loximately loximately surface. | sizes, weight of the sizes, weight a sizes, which weight a sizes, weight a sizes, weight a sizes, weight a siz | t paradox formation of 13-3/8" conduct of 8-5/8" surface | n to a depth of or pipe. pipe with cemulation encoun |
| Propose to draproximately 5450 Will set approximately 5450 Will set approximated to Will set 5½' (understand that this plan of work) | o objective sands; show ing points, and all ill well to oximately 1 oximately 1 surface. casing through the case of the casing through the case of the casing through the case of the case | test .00° (| t paradox formation of 13-3/8" conduct of 8-5/8" surface | or pipe. pipe with cem duction encoun |
| Propose to drapproximately 5450 Will set approximately 5450 Will set approximated to Will set 5½" Tunderstand that this plan of work approximately 5450 | o objective sands; show ing points, and all ill well to okimately loximately loximately loximately loximately casing through the casing through the control of the control | test .00° (| t paradox formation of 13-3/8" conduct of 8-5/8" surface may commercial program of the Geological Survey before open | or pipe. pipe with cem duction encoun |
| Propose to drapproximately 5450 Will set approximately 5450 Will set approximated to will set 5½" Tunderstand that this plan of work approximately 5450 Will set 5½" Tunderstand that this plan of work approximately 5450 Will set 5½" Tunderstand that this plan of work approximately 5450 Will set 5½" Tunderstand that this plan of work approximately 5450 Will set 5½" Wil | o objective sands; show ing points, and all ill well to ill well to oximately loximately loximately loximately loximately loximately casing through the casing throug | sizes, weight of the sizes and sizes | t paradox formation of 13-3/8" conduct of 8-5/8" surface my commercial program by the Geological Survey before open | or pipe. pipe with central duction encountries may be commenced. |
| Propose to dr: pproximately 5450 Will set approximately 5450 Will set approximated to will set 5½" I understand that this plan of work | o objective sands; show ing points, and all ill well to ill well to oximately loximately loximately loximately loximately loximately casing through the casing throug | sizes, weight of the sizes and sizes | t paradox formation of 13-3/8" conduct of 8-5/8" surface my commercial program by the Geological Survey before open | or pipe. pipe with central duction encountries may be commenced. |

CERTIFICATE OF SURVEY



WELL LOCATION: THE SUPERIOR OIL CO. NAVAJO "E" 43-13

Located 660 feet West of the East line and 1980 feet North of the South line of Section 13.

Township 41 South, Range 24 East Salt Lake Meridian

Existing ground elevation determined at 4448 feet.

1451 graded ground

i hereby certify the above plat represents a survey made u der my supervision and is accurate to the best of $m_{\frac{1}{2}}$ knowledge and belief.

Ehmer W. Clark


ELMER M CLARK
Registered Land Surveyor
State of Colorado (No.2279)

PLANET ENGINEERS, INC. Durango, Colorado November 12,1958



| Page | of | 1 | |
|------|----------------|---|--|
| File | 7 - 255 | T | |

DALLAS, TEXAS



February 26, 1959

Superior Oil Company P. O. Box 276 Cortes, Colorado

Attention: G. Bannantine, Petroleum Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Mavajo E 43-13, which is to be located 1980 feet from the south line and 660 feet from the east line of Section 13, Township 41 South, Range 24 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT EXECUTIVE SECRETARY

CBF: co

cc: Phil McGrath USGS, Farmington, New Mexico



DALLAS, TEXAS
POST OFFICE BOX 10185
March 27, 1959

Dallas: RI-2-2421 Midland: MU-2-5522

ox-4-5256

Conroe: PL-6-4232

Farmington, New Mexico:

DA-5-6817 DA-5-8476

The Superior Oil Company Post Office Box 3015 Cortez, Colorado

Subject: Temperature Survey

Navajo "E" No. 43-13 Well

White Mesa Field San Juan County, Utah Our File No. 7-255 T

Gentlemen:

On March 22, 1959, a temperature survey was made in subject well, White Mesa Field, San Juan County, Utah.

The data obtained are presented in both tabular and graphical form on the following page.

It is a pleasure to be of service to you. Call again whenever we can be of any assistance.

Very truly yours,

DENNIS OWENS COMPANY

Farrest Tefteller

FT:ea Attachment Form 9-331 b (April 1952)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR Indian Agency Allottee

| SUN | DRY NOTI | ces and i | REPORT | no en | WELL | S |
|--|--|---|--|---|------------------|---------------------------------------|
| NOTICE OF INTENTION TO | DRUI | SUBS | EQUENT REPORT | T OF WATER S | SHUT-OFF | |
| NOTICE OF INTENTION TO | | i li | EQUENT REPORT | | | |
| NOTICE OF INTENTION TO | TEST WATER SHUT-OF | FSUBS | EQUENT REPORT | T OF ALTERIN | G CASING | |
| NOTICE OF INTENTION TO | REDRILL OR REPAIR V | VELL SUBS | EQUENT REPORT | T OF REDRILL | ING OR REPAIR | · |
| NOTICE OF INTENTION TO | SHOOT OR ACIDIZE | SUBS | EQUENT REPORT | T OF ABANDO | NMENT | |
| NOTICE OF INTENTION TO | PULL OR ALTER CASIN | IGSUPF | LEMENTARY WEI | LL HISTORY | | |
| NOTICE OF INTENTION TO | ABANDON WELL | | ** | | | |
| | (INDICATE ABOVE BY | CHECK MARK NATURE OF | REPORT, NOTIC | E, OR OTHER | DATA) | |
| | | *************************************** | | April | 3 | , 19 |
| Mevajo E Vell No. 43-13 | is located 19 | | ine and | 60 ft. fro | om E line | of sec. 13 |
| NE NE Sec. 1 | | 18 24E | | SL | | |
| (14 Sec. and Sec. No. |) (Tw | rp.) (Range) | | (Meridian) | === | |
| Mattheway Annual | | | | | Utah | |
| | | County of Subdivise | | | | OFW) |
| (Field) | | (County or Subdivisove sea level is DETAILS OF | on) 1462 ft. K WORK | | (State or Territ | |
| (Field) | | (County or Subdivisove sea level is DETAILS OF | on) 1462 ft. K WORK | | (State or Territ | |
| (Field) he elevation areas tate names of and expected areas | d depths to objective so ing po | (County or Subdivisory over sea level is | on) 1462 ft. K WORK | | (State or Territ | |
| (Field) The elevation of and expected the state of an and expected the state of an analysis | d depths to objective sing po | (County or Subdivisore sea level is DETAILS OF ands; show sizes, weights ints, and all other importants, and all oth | on) 1462 ft. K WORK | proposed casi work) | (State or Territ | |
| (Field) The elevation of the state names of and expects spended: Completed: | d depths to objective sing po February March 28, 5454' 13-3/8" (8-5/8"; | (County or Subdivisore sea level is DETAILS OF ands; show sizes, weights ints, and all other importants, and all oth | WORK , and lengths of trant proposed v | proposed casi work) SAL 87' 1310' 55E | (State or Territ | udding jobs, ceme scies. sacks. |
| (Field) The elevation of the state names of and expected state names of an expected state names o | d depths to objective so ing po February March 28, 5454* 13-3/8** 8-5/8** Shift s | (County or Subdivisor over sea level is | WORK and lengths of reant proposed vertant proposed vertant general and the section of the sect | proposed casi work) 541 (2 87' 1310' 1310' 14' by | (State or Territ | ncks. Sacks. |
| (Field) The elevation of and expected pudded: Lawleted: Lawleted | d depths to objective as ing po February March 28 5454' 13-3/8" 8-5/8" 54" lan of work must receive and of work must receive contacts. | (County or Subdivisor over sea level is | WORK and lengths of reant proposed vertant proposed vertant general and the section of the sect | proposed casi work) 541 (2 87' 1310' 1310' 14' by | (State or Territ | ncks. Sacks. |
| (Field) The elevation of and expected in the second of and expected in the second of an expected in the | d depths to objective sing por February Harch 28 5454 13-3/8" 8-5/8" 13-3/8" in of work must receive perior Q11 causer G | (County or Subdivisor over sea level is | WORK and lengths of reant proposed vertant proposed vertant general and the section of the sect | proposed casi work) 541 (2 87' 1310' 1310' 14' by | (State or Territ | ncks. Sacks. |
| (Field) the elevation of and expected pudded: completed: I understand that this pompany The Buddeds ddress P.O.D. | d depths to objective as ing po February March 28 5454' 13-3/8" 8-5/8" 54" lan of work must receive and of work must receive contacts. | (County or Subdivisor over sea level is | WORK and lengths of reant proposed vertant proposed vertant general and the section of the sect | proposed casi work) 541 (2 87' 1310' 1310' 14' by | (State or Territ | ncks. Sacks. |
| (Field) the elevation of and expected product is a second constant of an expected in the constant of the company of the second comp | d depths to objective sing por February Harch 28 5454 13-3/8" 8-5/8" 13-3/8" in of work must receive perior Q11 causer G | (County or Subdivisor over sea level is | WORK and lengths of reant proposed vertant proposed vertant general and the section of the sect | proposed casi work) 541 (2 87' 1310' 1310' 14' by | (State or Territ | ncks. Sacks. |

NOT FOR PUBLIC INFORMATION

Electric Los Toos:

De Chelly Ornen Rock Harmosa Usper Boundary Butte 2317* Paradom Shale

5074 Total Depth

2487' Lower Boundary Butte 4242' Chimney Rock

32 y 5229 5400

5454

(-767)

Perforations: 3238'-45', 5248'-65', 5282'-87', 5335'-43', 5345'-49', 5353'-59', 5379'-84', 5388'-98'.

Drill Ston Tests: None


Treatments: (Perfs as above.)

Acid Job #1: 3-26-59: 600 gale. BDA N.P. 2500#/2100#

Acid Job #2: 3-27-59: 9,300 gale retarded sold in 3 equal stages using 2 - 300 gal. temperary plugs.

Indiana: 24" base at 5395".

Initial Production: 3-35-39; Flowed 473.23 bblo. of fluid in 12 hours, gravity 38.2°, Out 0.81, prosoure 2230/8000, 38/64° chake. 39.43 BFH or 946.32 BFD rate.



U. S. LAND OFFI 44-20-603-370
SERIAL NUMBER
LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

| LOCA | E WELL C | CORRECTLY | | | | | | • | |
|----------------|---------------------|--|---------------------------------------|--|--|--|---|----------------|----------------------|
| Compan | The S | <i>tuperior</i> | 011 0 | cmpany | Address | • | - | - | Colorado. |
| Lessor o | r Tract | lavajo E | | | Field | cElmo Creel | t State | Uta | h |
| Well No | 43-13 | Sec. 13 | 418 _R | 24E Mer | idian SL | Co | inty | Juan | |
| Location | 1880 | t. (S.) of | S Line a | 660 ft. | $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{W}. \end{array} \right\}$ of | Line of | lou 13 | Eleve | 4462 KI |
| The | informat | ion given he etermined fr | erewith is | s a complet zailable rec | te and correct ords. | record of the w | ell and al | l work o | ione thereon |
| Date A | ;x11. 3, | 1959 | | S 1, | gned | Title An | Cingmen Linear | | |
| The | e summ ary | on this pag | ge is for t | he condition | on of the well | at above date. | * | ^^ | 50 |
| Commer | ed drillin | ng Le | bruary | , 27 _{, 19} | 59 Finishe | ed drilling | March | 23 | , 19 |
| | | | OI | L OR GA | S SANDS O | R ZONES | | | |
| | | 5074 | | | Denote gas by G) | _ | | | |
| No. 1, fr | mo: | 5074 5220 | . to | | No. 4, | from | to | | |
| No. 2, fr | om |)& & 3 | . to | ,7400 | No. 5, | from | to |) | |
| No. 3, fr | om | | to | ** | No. 6, | from | to | | |
| | | | I | MPORTA | NT WATER | SANDS | | | |
| No. 1, fr | :0mi | | to | | No. 3, | from | to | | |
| No. 2, fi | :0m | | to | | No. 4, | from | to |) | |
| | | | | CAS | ING RECOR | D | | | |
| Size | Weight: per foot | Threads per inch | Make | Amount | Kind of shoe | Cut and pulled from | Perfor | 1 | Purpose |
| casing | 1 | ı | | 101 AT | | _ | From- | To- | _ |
| lo si di | | 1 DO rts co ce volveno i a tre velle gis | chave a c results. e its size a | THE PARTY OF THE P | ory of the well. of suy changes of fine well has | Pleaso state in c'e made tv the easing neon dynamited git arial great position. | il nego especialist e dain, sind | of resignation | Salt Re Branctio |
| | | ì | | i | 1 | 78-METE | Į. | i . | 1 |
| | | | | | 1 | i i de la composition della co | 1 | TOX WE WE I | - Intro Oreion |
| | | | MUDI | DING ANI | ' i ' | NG RECORD | | | |
| Size casing | Y/here set | Numb | er sacks of ce | ement | Method used | Mud gravity | An | nount of m | nud used |
| 13-3/8 | 87 | • | 150 | | | surface. | | | |
| 8-5/8 | 1310 | • | 1200 | | | surface. | | | |
| 54. | | | 300 | | Prop & pl | ug. | | | |
| | | | 1 | PLUGS | AND ADAP | ΓERS | | | |
| | | | | | | | | | |
| Heaving | plugM | aterial | | | Length | | Depth set | | |

| Σ | | | |
|----|-----------------------|--------------------|----------|
| ۵ | , | PLUGS AND ADAPTERS | |
| FO | Heaving plug-Material | Length | Depth se |
| | Adapters-Material | Size | |
| | i | SHOOTING RECORD | |

| Heaving pl | ug-Material | | GS AND A Length | | | th set | |
|------------|-------------------|----------------|--|------------|---|-------------------------|----|
| | | | | | | | |
| zaup vor s | ı | | OOTING I | | | | |
| Size | Shell used | Explosive used | Quantity | Date | Depth shot | Depth cleaned out | _ |
| | | ! | | 1 | | | |
| | · · | 1 | 1 : | | | | |
| | | | TOOLS U | | | | |
| Rotary too | ls were used fro | m gurface fe | | | and from | feet tofe | et |
| | | | | | | feet to fe | |
| | | | DATE | 5 | | | |
| | | , 1959 | 1 | | | ii. 28 , 19 | |
| | t | 1 | - , | | | 99.20 was oil; | |
| | 17 | nd% sediment | | | | 38.2. | |
| If gas | well, cu. ft. per | 24 hours | Ga | llons gaso | line per 1,000 c | u. ft. of gas | |
| Rock | pressure, lbs. pe | er sq. in | | | | | |
| | i | , Drille | EMPLOY er | | Li Dina | 9 :18C:, , Drill | er |
| | | , Drille | | | | Drill | |
| | | | RMATION | | | , | |
| FROM- | то | TOTAL F | EET | | FORMAT | TON | = |
| | | | | | , , , <u>, , , , , , , , , , , , , , , , </u> | | _ |
| | Electi | ic Log Tops: | 1 | chell: | v | | |
| | | 2487 | | gan Ro | • | | |
| | | 4242 | | rmosa | | | |
| | | 5074 (5219 | ₹1 ** | nadox : | undary But | te | |
| | : | 5229 | | | undary But | te | |
| | | 5408 | Ct | imey | Rock | | |
| | | | | | | | |
| | | | | | | | |
| | | 1 | .] | | | | |
| | ī | | : | | | | |
| | | | - | | | | |
| | | | | | | | |
| | | | 1 | | | | |
| | | , | | | | | |
| | | 1 | : and the second | | | | |
| | | | _ | | 22 July 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| enteres — | J:\$} | SOUND EI | wi | | & CALLATI | ON | |

INITIAL WELL TEST

McELMO CREEK UNIT # 1-23

| DATE | April 3, 1959 |
|--------------------------|---------------|
| OIL BBL/DAY | |
| OIL GRAVITY | 38.2 |
| GAS CU.FT/DAY | |
| GAS-OIL RATIO CU/FT/BBL_ | |
| WATER BBL/DAY | 9 |
| PUMPING/FLOWING | F |
| CHOKE SIZE | |
| FLOW TUBING PRESSURE | |

WATER INJECTION WELL

MC ELMO CREEK UNIT #I-23

1980' FSL, 660' FEL

NE SE Sec. 13, T41S, R24E

San Juan County, UTAH

FIELD:

MC ELMO CREEK

KB: 4464'

DF: 4463'

GL: 4447'

TD: 5454'

PBTD: 5418'

TLD: 9.00'

SPUDDED:

2-27-59

COMPELTED:

3-28-59

TOC: 4154' (temp)

INJECTION ZONE:

Desert Creek Zones 1, 2, 3

PERFS:

5238-45', 5248-65', 5282-87' Zone 1

(4 Jets/ft)

Zone 2

5335-43', 5345-49', 5353-59' Zone 3 5379-841, 5388-981

(4 Jets/ft) (4 Jets/ft)

CASING:

13-3/8" 48# H-40 R-1 8R ST&C w/150 Sx.

87'

8-5/8" 24# J-55 R-2 8R ST&C w/1200 Sx.

1310'

5½" 14# & 15.5# J-55 R-2 8R ST&C w/300 Sx.

54541

TUBING:

2-7/8" 6.5# J-55 8R EUE w/Taylor Plastic Liner @ 5217'. Avg. jt.

length 31.0'.

PACKERS:

Baker Model 'N' packer @ 5218'.

PMPG.EQUIP:

Injection Equipment

REMARKS:

WELL HEAD:

6" Ser. 600 CCT Type T-16

3-27-59

Treated perfs 5238-5398' w/9300 gal. acid in 3 stages. Max & final

pressure 4400#. 15 Min. SIP 1800#.

4-5-63

Converted to water injection.


6-29-66

Stimulated well w/15,000 gal. 28% iron acid in 3 equal stages.

Final pressure 5100#, ISIP 3600#.

12- 6-77

Treated w/ 3100 gal. 28% HCl acid. FP 2625 psi, ISIP 2350 psi.



McELMO CREEK UNIT
THE SUPERIOR OIL CO. OPERATOR
NE SE SEC.13 T41 S, R24 E.
SAN JUAN COUNTY, UTAH.
ELEV.4464'LAS,K.B. T.D.5454'

ATTACHMENT I

RULE I-5: Application for Approval of Class II Injection Wells

- (a) Well Data Sheets.
- (b) (1) Plat #1.

(4)

- (2) Well Data Sheets.
- (3) Well Data Sheets & Logs.
 - i. The average intervening thickness is 4000' between the existing injection interval and the deepest fresh water sand.
 - ii. Maximum Surface Pressure: 2800 psig. Maximum Rate: 4000 BWPD.

| FORMATION DE | <u> </u> | LITHOLOGY |
|--|--|---|
| DeChelly 23 Organ Rock 26 Hermosa 44 Upper Ismay 53 Lower Ismay 53 Gothic 54 Desert Creek 54 | 00' avg. 50' avg. 00' avg. 00' avg. 70' avg. 50' avg. 60' avg. | Shale Sandstone Shale Limestone Limestone Shale Limestone Shale Limestone Shale |

- (5)
- (i) A throttling valve is installed on the wellhead to control injection rates and pressures.
- (ii) The source of injection water is Superior's production wells within the McElmo Creek Unit. The wells produce from the Ismay and Desert Creek formations with approximate depths of 5300' and 5460' respectively.
- (iii) The analysis of injection water is as follows: (as parts per million).

PH: 6.5 Ca: 13770 ppm SO4: 25 ppm CL: 16700 ppm Mg: 11421 ppm H2S: 30 ppm Fe: 3 ppm HCO3: 109.8 ppm Ba: -

CaCO3: 18470 ppm CO3: - Specific


Gravity: 1.0553

- (5) Cont.
 - (iv) The injection zones are the Ismay and Desert Creek formations. Both zones are carbonate formations consisting of limestone, anhydrite and dolomite. The formations extend throughout the Paradox Basin and are underlain by the Chimney Rock Shale and are overlain by the Hermosa Limestone.
 - (v) Fresh water zones (Morrison, Bluff, Entrada) range from 0 to 1300' with Entrada being the deepest and somewhat saline.

CaCO3: 22150 ppm CO3: - Specific

Gravity: 1.0902

- (6) To assure that injection is confined to intervals intended to receive the disposed water, wireline diagnostic surveys are run periodically to determine whether any escapement is taking place. If such information is discovered, the disposal well will be shut-in until proper measure can be taken. Casing pressure readings are made regularly to verify that no tubing or packer leaks have developed. If such leaks develop, the well will be shut-in until proper repairs can be made.
- (7) N/A.
- (8) The Division will be notified of the date and time to monitor the mechanical integrity test.
- (9) N/A.
- (10) N/A.



Form 9-831 b (April 1952)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

| Form approved. | |
|-------------------------------------|------------|
| Form approved. Budget Bureau No. | 42-R359.4. |

| | ndow Rock |
|----------|---------------|
| Allottee | Mavajo |
| | 14-20-603-370 |

| OTICE OF INTENTION TO DRILL | | SUBSEQUENT I | REPORT OF WATER SHI | UT-OFF | |
|--|---|--|---|--|------------|
| TICE OF INTENTION TO CHANGE PL | ANS | | REPORT OF SHOOTING | | |
| TICE OF INTENTION TO TEST WATER | | | REPORT OF ALTERING | | |
| TICE OF INTENTION TO REDRILL OF | REPAIR WELL | SUBSEQUENT F | REPORT OF REDRILLIN | G OR REPAIR | |
| TICE OF INTENTION TO SHOOT OR | CIDIZE | SUBSEQUENT F | REPORT OF ABANDONN | KENT | |
| TICE OF INTENTION TO PULL OR AL | TER CASING | | RY WELL HISTORY | | |
| TICE OF INTENTION TO ABANDON W | ELL | supp. Reg | ort of Conv. | To Injection | . X |
| 2-59 (INDICATE | ABOVE BY CHECK MAI | rk nature of report, | NOTICE, OR OTHER DA | TA) | **[|
| E 43-13 | | | May 1 | | 9 63 |
| | | | | | |
| NE NE Sec. 13 | | 74.R | SLBM | | |
| NE NE Sec. 13 (M Sec. and Sec. No.) | 41S (Twp.) | (Range) | | | |
| NE NE Sec. 13 | 41S (Twp.) | 74.R | SLEM (Meridian) | Utah State or Territory) | |
| NE NE Sec. 13 (H Sec. and Sec. No.) Greater Aneth (Field) elevation of the derick | (Twp.) (Country above sea DET. Objective sands; show ing points, and a | (Range) (Range) (an Juan try or Subdivision) level is 4462 f AILS OF WORK sizes, weights, and leng ill other important proj | (Meridian) t. R.B. | Utah State or Territory) s; indicate mudding jobs, | cemen |
| (4 Sec. and Sec. No.) Greater Aneth | (Coundary above sea | (Range) (Range) (an Juan try or Subdivision) level is 4462 f AILS OF WORK sizes, weights, and leng ill other important proj | (Meridian) t. R.B. | Utah State or Territory) | cemen |
| NE NE Sec. 13 (A Sec. and Sec. No.) Greater Aneth (Field) elevation of the derivation of the derivat | QOX above sea DET. Objective sands; show ing points, and a | (Range) (Range | SLBM (Meridian) t. K.B. this of proposed casing losed work) 78 "? 6.56 thg | Utah State or Territory) s; indicate mudding jobs, | cemen |
| NE NE Sec. 13 (H Sec. and Sec. No.) Greater Aneth (Field) elevation of the deriver | QOX above sea DET. Objective sands; show ing points, and a | (Range) (Range | SLBM (Meridian) t. K.B. this of proposed casing losed work) 78 "? 6.56 thg | Utah State or Territory) s; indicate mudding jobs, | cemen |
| NE NE Sec. 13 (H Sec. and Sec. No.) Greater Aneth (Field) elevation of the derick: names of and expected depths to decide the sec. No.) | QOX above sea DET. Objective sands; show ing points, and a | (Range) (Range | SLBM (Meridian) t. K.B. this of proposed casing losed work) 78 "? 6.56 thg | Utah State or Territory) s; indicate mudding jobs, | cemen |
| NE NE Sec. 13 (H Sec. and Sec. No.) Greater Aneth (Field) elevation of the deriver | QOX above sea DET. Objective sands; show ing points, and a | (Range) (Range | SLBM (Meridian) t. K.B. this of proposed casing losed work) 78 "? 6.56 thg | Utah State or Territory) s; indicate mudding jobs, | cemen |

| I understand that this plan of work must receive approval in writing b | by the Geological Survey before operations may be commenced. |
|--|--|
| Company The Superior Oil Company | |
| Address 2. 3. Drawer 'G' | |
| Cortes, Colorado | By D. Kingman |
| -4-4-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6- | Title Engineer |

Form 9-331 (May 1963)

DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.
5. LEASE DESIGNATION AND SERIAL NO.

| 14-2 | 0-6 | 03-3 | 70 |
|------|-----|------|----|
| | | | |

DATE _

| | GEOLOGICAL SURVEY | | 14-20-603- | 370 |
|---------------------------------------|--|------------------------------|---|---------------------------------------|
| SUNI (Do not use this f | 6. IF INDIAN, ALLOTTE | E OR TRIBE NAME | | |
| | The second secon | | 7. UNIT AGREEMENT NA | AME |
| OIL GAS WELL | OTHER Water Injection | | McElmo Creek | |
| . NAME OF OPERATOR | | | 8. FARM OR LEASE NAI | |
| The Superior . ADDRESS OF OPERATOR | 011 Company | | Navajo E 9. WELL NO. | · · · · · · · · · · · · · · · · · · · |
| P. O. Drawer | 'G', Cortez, Coloredo | | 1-23 | |
| . LOCATION OF WELL (Re | port location clearly and in accordance with any | State requirements.* | 10. FIELD AND POOL, O | R WILDCAT |
| See also space 17 belov At surface | v. <i>)</i> | | McElmo Cre | ek Unit |
| | 1980 FSL & 660FEL Sec. 13 | | 11. SEC., T., R., M., OR I SURVEY OR AREA | BLK. AND |
| | | | Sec. 13, T415 | |
| 4. PERMIT NO. | 15. ELEVATIONS (Show whether DE | F, RT, GR, etc.) | 12. COUNTY OR PARISH | |
| | 4462 KB | | San Juan | Utah |
| 6. | Check Appropriate Box To Indicate N | Nature of Notice, Report, or | Other Data | |
| N | OTICE OF INTENTION TO: | | EQUENT REPORT OF: | |
| | | | | |
| TEST WATER SHUT-OF | | WATER SHUT-OFF | REPAIRING V | |
| FRACTURE TREAT SHOOT OR ACIDIZE | MULTIPLE COMPLETE ABANDON* | FRACTURE TREATMENT | ALTERING C. | |
| REPAIR WELL | CHANGE PLANS | (Other) Acidize | ABANDONALE | |
| (Other) | CHANGE TEAMS | (Note: Report resu | lts of multiple completion mpletion Report and Log for | on Well |
| PBTO - 5418 2-18-65 | Acidized perfs from 5238 t stages using 1000 gals H.V | l. acid between each | stage. Max. pr | ess. 3500# |
| | Average inj. rate $-2\frac{1}{2}$ BPM 2600#. | i. Pinai press. 300 | 0#, 39 min. Snut | in press. |
| 2-19-65 | Well flowed back 850 bbls. | | | |
| 2-20-65 | Test Injection 372 bbls i | n 24 hrs @ 2200 psi | • | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 2 I harahy contidu that | he foregoing is true and gowenet | | | |
| Ougha: | he foregoing is true and correct | | | |
| SIGNED R | Walter TITLE Pr | roduction Engineer | DATE | |
| | | | | |

TITLE

(This space for Federal or State office use)

APPROVED BY _______CONDITIONS OF APPROVAL, if ANY:

| Form 9-331 (May 1963) | U D STA | | SUBMIT IN TR E* (Other instructi re- | Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO. |
|--|--|---|--|--|
| · / | GEOLOGICAL S | | THO IT TO SEE STATE) | 14-20-603-370 |
| CERTIFICATION & | | | CNINGILE | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| | NONCES AND RE | | g back to a different reservoir. | |
| | PPLICATION FOR PERMIT | —" for suc | n proposals.) | Navajo |
| OIL GAS | | _ | | 7. UNIT AGREEMENT NAME |
| 2. NAME OF OPERATOR | HER Water Injec | tion | | McElmo Creek 8. FARM OR LEASE NAME |
| | HOEDIAN ALL COMP | 0.8137 | | S. FARM OR LEASE NAME |
| 3. ADDRESS OF OPERATOR | UPERIOR OIL COMP | ANY | | 9. WELL NO. |
| P O | Drawer UCH Co | rtaz (| Colorado | 1-23 |
| P. 0. 4. LOCATION OF WELL (Report location) | ation clearly and in accorda | ince with a | ny State requirements.* | 10. FIELD AND POOL, OR WILDCAT |
| See also space 17 below.) At surface | 80'FSL 660'FEL | | | McElmo Creek Unit |
| | SE Sec. 12, T41 | S R24F | | 11. SEC., T., R., M., OR BLK. AND |
| | n Juan County, U | | | SURVEY OR AREA |
| | • • • • • • • • • • • • • • • • • • | • | | Sec. 13, T41S R24E |
| 14. PERMIT NO. | 15. ELEVATIONS (SI | now whether | DF, RT, GR, etc.) | 12. COUNTY OR PARISH 13. STATE |
| | <u>L</u> , 4, | 64 ' KB | | San Juan Utah |
| 16. Case | rk Appropriate Box To | Indicate | Nature of Notice, Report, or C | Liker Data |
| | INTENTION TO: | | | JENT REPORT OF: |
| NOTICE OF | INTENTION TO: | r—— | Juagua | T T |
| TEST WATER SHUT-OFF | PULL OR ALTER CASIN | G | WATER SHUT-OFF | REPAIRING WELL |
| FRACTURE TREAT | MULTIPLE COMPLETE | | FRACTURE TREATMENT | ALTERING CASING ABANDONMENT* |
| SHOOT OR ACIDIZE | ABANDON* CHANGE PLANS | | (Other) Stimulati | |
| (Other) | CHANGE PLANS | | (Note: Report results | of multiple completion on Well etion Report and Log form.) |
| proposed work. If well is nent to this work.)* 6- | directionally drilled, give so | erfs war all sal | /15,000 gal 28% iron act plugs between stages. | |
| | • | | | |
| | | | | |
| | | | | |
| | | • | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 18. I hereby certify that the foreg | oing is true and correct | | | |
| . 1 1/ 0 | The state of the s | | Production Engineer | August 10, 1966 |
| SIGNED D. D. Kin | gman | TITLE | 1 Lodde Lion Flighteet | DATE Magase 10, 1900 |
| (This space for Federal or Sta | | | | |
| APPROVED BY | | TITLE | | DATE |
| CONDITIONS OF APPROVAL | , IF ANY: | | | |

U١ **ID STATES**

SUBMIT IN TRIF.

 ΓE^*

Form approved. Budget Bureau No. 42-R1424.

| DEPART | 5. LEASE DESIGNATION | | | |
|--|--|--|---|---------------|
| | GEOLOGICAL SURVEY | | 14-20-603- | |
| | TICES AND REPORTS osals to drill or to deepen or plug CATION FOR PERMIT—" for such | | 6. IF INDIAN, ALLOTTEI | OR TRIBE NAME |
| OIL GAS WELL OTHER NAME OF OPERATOR | Water Injection | | 7. UNIT AGREEMENT NA **RESTRICT COOK 8. FARM OF LEASE NAM | Unit |
| The Superior Oil Com | pany | A to b Photographic Control of the C | Navajo E | |
| 3. ADDRESS OF OPERATOR | | | 9. WELL NO. | |
| P. O. Drawer 'G'. | Cortez, Colorado | | 1-23 | |
| 4. LOCATION OF WELL (Report location See also space 17 below.) At surface | clearly and in accordance with an | y State requirements.* | 10. FIELD AND POOL, OF | |
| 1980 FS | L & 660FEL Sec. 13 | | 11. SEC., T., R., M., OR F SURVEY OR AREA Sec. 13. T415 | |
| 14. PERMIT NO. | 15. ELEVATIONS (Show whether I | DF, RT, GR, etc.) | 12. COUNTY OR PARISH | 13. STATE |
| | 4462 KB | | San Juan | Utah |
| 16. Check A | Appropriate Box To Indicate | Nature of Notice, Report, or C | Other Data | |
| NOTICE OF INT | ENTION TO: | SUBSEQU | JENT REPORT OF: | |
| TEST WATER SHUT-OFF | PULL OR ALTER CASING MULTIPLE COMPLETE | WATER SHUT-OFF FRACTURE TREATMENT | REPAIRING V | |
| | | | - | |
| SHOOT OR ACIDIZE | ABANDON* | XXXXIII OR ACIDIZING | ABANDONME | NT* |
| REPAIR WELL (Other) | CHANGE PLANS | (Other) Acidiza (Note: Report results | of multiple completion letion Report and Log for | on Well |
| 17. DESCRIBE PROPOSED OR COMPLETED OF proposed work. If well is direct nent to this work.) * | PERATIONS (Clearly state all pertine tionally drilled, give subsurface loc | | | |

PSTD - 5418

2-18-65

Acidized perfs from 5238 to 5398 w/20,000 gals 15% CRA acid in 4 equal stages using 1000 gals H.V. acid between each stage. Max. press. 3500#. Average inj. rate - 22 BPM. Final press. 3000#, 30 min. Shut in press.-2500#.

2-19-65

Well flowed back 850 bbls.

2-20-65

Test Injection 372 bbls in 24 hrs @ 2200 psi.

| 18. I hereby certify that the foregoing is true and correct | | |
|---|-----------------------|-----------|
| SIGNED RAW Walter | TITLE Production Engl | nos? date |
| (This space for Federal or State office use) | | |
| APPROVED BY | TITLE | DATE |

| Form 9-331 (May 1963) | DEPARTI | | EINTERIC | SUBMIT IN TRIPL (Other instructions) R verse side) | E* | 5. LEASE DESIGNATION | on and Serial No. |
|------------------------------|--|-------------------------|-------------------|---|------------|--------------------------|----------------------|
| | | SEOLOGICAL SI | URVEY | | | 14-20-603- | |
| | SUNDRY NOT e this form for propos Use "APPLICA | | | WELLS to a different reservoir posals.) | ·- | 6. IF INDIAN, ALLOT | |
| 1. | | | | | | Navajo 7. UNIT AGREEMENT | NAME |
| | AS OTHER | Water Inject | ion | | | McElmo Cre | مامد |
| 2. NAME OF OPERA | TOR | | | | | 8. FARM OR LEASE 1 | NAME |
| | THE SUPER | IOR OIL COMPA | \N'Y | | | | |
| 3. ADDRESS OF OP | | | ····· | | | 9. WELL NO. | |
| | P O Drav | wer "G" Cor | tez Colo | rado | | 1-23 | |
| 4. LOCATION OF W | P. O. Drav | learly and in accordan | nce with any St | ate requirements.* | | 10. FIELD AND POOL | , OR WILDCAT |
| See also space At surface | | SL 660'FEL | | | | McElmo Cr | eek Unit |
| | - | Sec. 12, T41S | S R24F | | j- | 11. SEC., T., R., M., O | R BLK, AND |
| | | an County, Ut | | | ŀ | SURVEY OR AR | IEA |
| | oun ou | an obancy, oc | | | | Sec 13 | T415 R24F |
| 14. PERMIT NO. | | 15. ELEVATIONS (Sho | ow whether DF, a | T, GR, etc.) | | Sec. 13, | SH 13. STATE |
| | | 446 | 54 ' KB | | | San Juan | Utah |
| 16. | Check Ap | propriate Box To | Indicate Na | ture of Notice, Repo | n, or O | her Data | |
| | NOTICE OF INTEN | | | | | NT REPORT OF: | |
| | | | | | | | |
| TEST WATER S | | PULL OR ALTER CASING | ' — | WATER SHUT-OFF | _ | REPAIRING | |
| FRACTURE TRE. | | MULTIPLE COMPLETE | | FRACTURE TREATMEN | | ALTERING | |
| SHOOT OR ACIE | | ABANDON* | | SECOTING OR ACIDIZE | ulatio | ABANDON | AENT* |
| REPAIR WELL | | CHANGE PLANS | | (Note: Report | results o | f multiple completion | on on Well |
| (Other) | AND OR GOVERNMENT OFFI | Dimension (Claudia stat | | Completion or | Recomplet | tion Report and Log | form.) |
| proposed won | rk. If well is directio | nally drilled, give sul | bsurface location | details, and give pertinen as and measured and tru | e vertical | depths for all mark | ers and zones perti- |
| | 6-29-6 | 6 Treated no | arfs w/15 | .000 gal 28% in | on aci | d in three e | eou a l |
| | | • | | lugs between st | | d in tinee c | ,quu i |
| • | - | well up to i | • | _ | ages. | | |
| | Hooked | werr up to i | 11) 666 1011. | • | | | • |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| 8. I hereby certify that the foregoing is true and correct SIGNED D. Kingman | TITLE Production Engineer | DATE August 10, 1966 |
|---|---------------------------|----------------------|
| (This space for Federal or State office use) | • | |
| APPROVED BY CONDITIONS OF APPROVAL IF ANY: | TIPLE | DATE |

| (Navembri 1980) Navembri 1980) | U? ST DEPARTMEN ST BUREAU OF LAND A | STEE HE Wreekor | o Therit IN TRAI cittor Assiruction norm dide | Form approved. Budge: Hore as No. 1031 Street Expires August 31, 1983 Expires August 31, 1983 14-20-603-376 |
|--|--|-------------------------------------|--|--|
| | RY NOTICES AND rm for proposals to drill or to use "APPLICATION FOR PERM | deepen or plur back | to a different reservoic | Navajo |
| OIL CAB WELL |] от ник Water Inj | ection | | 7. UNIT AGREEMENT NAME McElmo Creek Unit 8. FARM OR LEASE NAME |
| Superior Oil Co | mpany | | | 9. WELL NO. |
| P.O. Drawer "G" 1. LOCATION OF WELL (Rep. See also space 17 below | ', Cortez, © 8132 ort location clearly and in acco | rdance with any Stat | e requirements.• | I-23 10. FIELD AND POOL, OF WILDCAT |
| At surface | 80' FSL; 660' FEL; | Section 13 | | Greater Aneth Field 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA |
| if PERMIT NO. | 1 | (Show whether DF, RT. 541; GL: 4447 | • | Sec. 13, T41S, R24E 12. COUNTY OF PARISE 13. STATE San Juan Utah |
| ; ^P | Check Appropriate Box | | | |
| NO | TICE OF INTENTION TO: | And the second | | QUENT EXPORT OF: |
| TEST WATER SHOT-OFF FRACTURE TREAT SHOOT OR ACIDIZE | MULTIPLE COMPLE ABANDON* | | WATER SHUT-OFF FEACTURE TREATMENT SHOOTING OR ACIDIZING (Other) | ALTERING WILL ALTERING CASING ABANDONMENT® |
| nemt to this work.) * | | | Completion or Reconduction and give pertinent date and true vertined the seasoned the s | ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting a.; cal depths for all markers and zones peri- |
| Perforate Acidize Is Swab back | ver rig. NU and te Ismay (5201'-5212'/ may w/1500 gals 28% load. POOH. anent packer and to | /2 JSPF). b HCl + addit | ives. | nd packer. n. Set packer at 5220'. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| UNITY I | JENSON Jor State office use) | TIVELLI LNCI | KMINTON | |
| APPROVED BY LLC CONDITIONS OF APP | in 15-leight | TITLE VIC | Marage | DATE 1/23/8 (1 |

Form 3160-4 (November 1983) (formerly 9-330)

SIGNED Z

UNI ED STATES

SUBMIT IN DUPLIC

DEPARTMENT OF THE INTERIOR

(See other in structions on Form approved. Budget Bureau No. 1004-01370 Expires August 31, 1985

DATE

5. LEASE DESIGNATION AND SERIAL NO reverse side) BUREAU OF LAND MANAGEMENT 6. IF INDIAN, ALLOTTEE OR TRIBE NAME WELL COMPLETION OR RECOMPLETION REPORT AND LOG* Navajo
7. UNIT AGREEMENT NAME 1a. TYPE OF WELL: Other Injection Well b. TYPE OF COMPLETION: McElmo Creek Unit WORK XX DEED-BACK BESVR. WELL . FARM OR LEASE NAME Other 2. NAME OF OPERATOR MOBIL OIL CORP., as Agent for SUPERIOR OIL.
3. ADDRESS OF OPERATOR 9. WELL NO. <u>I-23</u> 10. FIELD AND POOL, OR WILDCAT P. O. DRAWER G. CORTEZ, CO. 81321
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* Greater Aneth At surface 11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA 1980' FSL, 660' FEL, Sec.13, T41S, R24E, SLM At top prod. interval reported below Sec. 13, T41S, R24E At total depth 14. PERMIT NO. 12. COUNTY OR PARISH DATE ISSUED 13. STATE San Juan | ULGU CP PTC.) • | 19. ELEV. CASINGHEAD 15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, RKB, RT, GR, ETC.) . 3-28-59 2-27-59 DF 4463'; GL 4447' 20. TOTAL DEPTH. MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., ROTARY TOOLS CABLE TOOLS DRILLED BY HOW MANY 0-5454 5418' 24. PRODUCING INTERVAL(8), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)* 25. WAS DIRECTIONAL SURVEY MADE 5238/5287' Desert Creek Zone I 5201/5212' Lower Ismay 5335/5359' Desert Creek Zone II 5379/5398, D. C. Zone II No 26. TYPE ELECTRIC AND OTHER LOGS RUN 27. WAS WELL CORED No 28. CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT, LB./FT. HOLE SIZE CEMENTING RECORD DEPTH SET (MD) AMOUNT PULLED LINER RECORD 30 TUBING RECORD 29. BIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* DEPTH SET (MD) PACKER SET (MD) SCREEN (MD) SIZE 31. PERFORATION RECORD (Interval, size and number) ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. 5201/5212' (2 JPF); 5238/45' DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 5248/65; 5282/87; 5335/43' <u>5201/5212</u> 1626 gals 28% HCL 5353/59', 5379/84' and 5345/49 5388/5398' (All 4 JPF) 33.• PRODUCTION WELL STATUS (Producing or shut-in) DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping-size and type of pump) Injecting DATE OF TEST HOURS TESTED CHOKE SIZE OIL---BBL. GAS-MCF. WATER-BBL GAS-OIL BATIO TEST PERIOD ROLE VE DVATER-BBL. CALCULATED OIL GRAVITY-API (CORR.) FLOW. TUBING PRESS. CASING PRESSURE OIL---BBL. 24-HOUR RATE 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY OCT 0 1 1985 35. LIST OF ATTACHMENTS JIVISIUN UF ÖLL attached information is complete and to be to be the first and available records 36. I hereby certif TITLE Sr. Staff Oper. Engineer 9/18/85

| form 3160- | r | 'D CTATEC | | Form approved. Budget Bureau No. | WT ₂ |
|----------------------|---|---|---|---|--------------------------------|
| November 1 | 983) -331) DEPAR | UN _ ID STATES TMENT OF THE INTE EAU OF LAND MANAGEM | | Expires August 31 | 1985 SBRIAL NO. |
| - | | | | 6. IF INDIAN, ALLOTTEE OR | TRIBE NAME |
| (Do n | SUNDKY NC not use this form for pro Use "APPLI | DTICES AND REPORTS possais to drill or to deepen or pl iCATION FOR PERMIT—" for su | S ON WELLS lug back to a different reservoir. ch propossis.) | OLAVAN | |
| OIL C | GAS XOTHER | INJECTION WELL | | 7. UNIT AGREEMENT NAME MCELMO CREEK 8. FARM OR LEASE NAME | |
| | | , as Agent for SUPE | RIOR OIL COMPANY | MCELMO CREEK | |
| | | G', CORTEZ, COLORADO | 81321 | I-23 | |
| 4. LOCATION | or WELL (Report location pace 17 below.) | clearly and in accordance with | | 10. FIELD AND POOL, OR WI | |
| 1 | 980' FSL, 660' | FEL Sec. 13, T41S, | R24E, SLM | 11. SRC., T., R., M., OR BLK SURVEY OR AREA | |
| | | | | Sec. 13, T415 | |
| 14. PERMIT N | 0. | 15. ELEVATIONS (Show whether | • | 12. COUNTY OR PARISH 18. | |
| | | DF 4463', | GL 4447 | SAN JUAN | UTAH |
| 16. | Check A | • • | e Nature of Notice, Report, or | Other Data | |
| | NOTICE 03 IN | | | | |
| | TER SHUT-OFF | PULL OR ALTER CASING | WATER SHUT-OFF | REPAIRING WELL | |
| FRACTURI SHOOT OI | | MULTIPLE COMPLETE ABANDON* | FRACTURE TREATMENT SHOOTING OR ACIDIZING | ALTERING CASING | ' [] |
| REPAIR W | | CHANGE PLANS | (Other) | | |
| (Other) | | | (NOTE: Report resul Completion or Recom | ts of multiple completion on Vipletion Report and Log form.) | Vell . |
| propose | PROPOSED OR COMPLETED C d work. If well is direc this work.)* | PERATIONS (Clearly state all perticionally drilled, give subsurface | inent details, and give pertinent date locations and measured and true vertine. | s, including estimated date of cal depths for all markers and | starting any i zones perti- |
| 9/11/85 9/12/85 | MIRU. Bled we Released packe | er and POOH. RIH w/ | packer milling tool. I | Milled over and red | covered |
| - 12-0 10-5 | ModelN packer | | 11 / 54101 2001 2 | | |
| 9/13/85 | RIH w/bit and Ismay 5201/12' | 2 JPF. RIH w/ret | ll to 5419'. POOH. R rievable BP and packer O psi. OK. Released | . Set B.P. at 522! | ort Lower 5'. PU 10'; |
| 9/14/85 | S.D. for weeke | | opsi. ok. Kereuseu | pucker . | |
| 9/16/85 | RU to acidize. | Spotted 3 bbls 28 | % HCL at 5212'. Pulled w/1500 gals 28% HCL at | | |
| 9/17/85 | | r and BP. Installe | d CO2 Cactus tubing h | ead. Left well flo | owing to pit |
| 9/18/85 | RIH w/model D 8 rd, EUE tubi | ing. | t 5166'. POOH. Hydro | tested in hole w/2- | -3/8", J-55, |
| 9/19/85 | Finished testi | ing in hle w/tbg. S | tung in pkr. RDMO. | RECEIVE | D |
| | | | | OCT 0 1 1985 | i |
| | | 7/1 | | , m. s | |
| 18. I hereby o | certify that the tyregoing | to true and correct | | DIVIDIUN OF (| |
| BIGNED | D. C. Collins | TITLE _ | Sr. Staff Oper. Eng | r. GAS & MININ | 95 |
| APPROVE | 30 D1 _= | teget TITLE | VI c Manger | DATE | 85 |
| CONDITIO | ONS OF APPROVAL, IF | ANY: | | | |

UB' IN TRIPLICATE: (Garage instructions on reverse side)

120 Mg

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

| DIVISIO | N OF OIL, GAS, AND MINING | l ' | 4-20-603-370 |
|---|---|---|--|
| Use "APPLICAT | ES AND REPORTS ON La to drill or to deepen or plug back to | WELLC | 3. IF INDIAN, ALLOTTER OR TRUE NAME |
| OFL WELL OTHER | NJECTION WELL | 1 | CELMO CREEK |
| MOBIL OIL CORP | AS AGENT OF SUPERIOR | OIL - | . FARM OR LEASE HAME |
| P. O. DRAWER 'C | 6', CORTEZ, CO 81321 | |), wall so. -23 |
| 5. LOCATION OF WELL (Report location ele See also space 17 below.) At surface | arly and in accordance with any State : | MEDENED G | O. FIELD AND POOL, OR WILDCAT REATER ANETH |
| 1980' FSL, 660' | FEL | JAN 1 5 1986 | 11. 88C. T. A. M. OS BLE. AND SURVEY OF ASSAULT OF ASSA |
| 14. PERMIT NO. | 18. BLEVATIONS (Show whether or, St. qs. | APPLAINING OF MANY | 2. COUNTY OR PARISH 18. STATE |
| | DF: 4463′ | GAS & MINING | AN JUAN LITAH |
| 16. Check App | propriate Box To Indicate Nature | of Notice, Report, or Oth | er Data |
| NOTICE OF INTENT | | • | T ABPORT OF: |
| FRACTURE TREAT M SHOOT OR ACIDIZE | ULL OR ALTER CASING ULTIPLE COMPLETE DANDON* IANGE PLANS INJECTION XX | WATER SHUT-OFF FRACTURE TREATMENT SHOUTING OR ACIDIEING (Other) (Note: Report results of Completion or Recompleti | ALTERING CASING ABANDONMENT® multiple completion on Well on Report and Log form.) |
| This well is so Qtr, 1986. | heluded to begin CO2 | injection durin | g the First |
| | | APPROVED E OF UTAH D OIL, GAS, A DATE: | ND MINING |
| 18. I hereby certify that the torogoing to | true and correct TITLE _Sr S | laff Op Engr | DATE 1.10.56 |
| (This space for Federal or State office | e use) | | |
| APPROVED BY | TITLE | | DATE |

| | Form approved. 1. Bully of Fire 60 No. 1004-0135 |
|--|---|
| Torm 3160-5. (November 1983) Ul D STATES IN TRIJ ATE: Instructio. | Expure: August 31, 1985 |
| (Formerly 9-331) DEPARTMENT OF THE INTERIOR (Formerly 9-331) | 5. LEASE DESIGNATION AND BREIAL NO. |
| BUREAU OF LAND MANAGEMENT | 14-20-603-370 |
| SUNDRY NOTICES AND REPORTS ON WELLS | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) | |
| | DLAVAN |
| | 7. UNIT AGREEMENT NAME |
| WELL GAB OTHER INJECTION WELL | MCELMO CREEK |
| 2. NAME OF OPERATOR | 8. PARM OR LEASE HAME |
| MOBIL OIL CORP AS AGENT OF SUPERIOR OIL | 9. WELL NO. |
| 3. ADDRESS OF OPERATOR | |
| P. O. DRAWER 'G', CORTEZ, CO 81321 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* | 1-23 10. FIELD AND POOL, OR WILDCAT |
| See also space 17 below.) | |
| At surface | GREATER ANETH |
| 4 m m A 4 m m 1 4 A 4 m m l | SURVEY OR AREA |
| 1980' FSL, 660' FEL | Sec 13,T415,R24E |
| 14 PERMIT NO 15. ELEVATIONS (Show whether DF, RT, GR, etc.) | 12. COUNTY OR PARISH 18. STATE |
| 23. 4 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | HATU NAUL NAS |
| DF: 4463′ | SHR SURE TOTHS |
| 16. Check Appropriate Box To Indicate Nature of Notice, Report, or | Other Data |
| NOTICE OF INTENTION TO: | CUBRT ARPORT OF: |
| THE WATER SHUT-OFF | REPAIRING WELL |
| | ALTERING CASING |
| The state of the s | ABANDONMENT® |
| BEGIN CO | |
| (Nore: Report result | s of multiple completion on Well pletion Report and Log form.) |
| Clearly state all partinent details and give partinent date | Including estimated date of starting any |
| 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state an perturbate details, and give perturbate date proposed work. If well is directionally drilled, give subsurface locations and measured and true vertinent to this work.)* | cal depths for all markers and sones perti- |
| Helic by talls were, | |
| This well was first placed on CO2 injection on Fo | ebruary 28, 1986. |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | |
| | |
| | |
| | |
| | |
| | |
| | MICHEL |
| りには、いたのでは、これには、これには、これには、これには、これには、これには、これには、これに | |
| | |
| MAR 0 6 19 | 186 |
| MAK VU I | ,00 |
| munición. | OE. |
| DIVISION | UNING |
| OIL. GAS & N | Mana |
| | |
| | |
| | |
| \sim | |
| -1/1/1/1 | |
| 18. I bereby certify that the foregoing is true and correct | DATE 3.4.86 |
| SIGNED TITLE Sr Staff Op Engr | DATE 0'4'86 |
| This space for Federal or State office use) | |
| (Interpretation to the court of | |

*See Instructions on Reverse Side

DATE __

TITLE _

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

CNE/rd CNE8661

R. D. Baker Environmental Regulatory Manager

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEZ SUFERVISOR AREA FOR THE GREATER ANETH FIELD 05/13/86

| | | | | | | | 5 | | | | |
|------------------|--------------|----------|-------|---------------|-------------|--------------|-----|--------------|-------------------------|-----------------|-------------------|
| PROFERTY Name | WELL HAME | COUNTY | STATE | SEC TWNSHP | RNG | WELL TYPE | | API NUMBER | FEDERAL LEASE HUMBER | STATE NUMBER | UNIT NUMBER |
| MC ELHO CREEK | I-23 | SAN JUAN | UT | HE SE 13-41S- | 24E | INJ | O۶ | 43-037-16352 | 14-20-603-370 | | 96-604196 |
| | I-25 | MAUL MAZ | UT | NE NE 24-418- | 24E | LWI | 0P | 43-037-16353 | 14-20-603-370 | | 96-004190 |
| | J-11 | SAN JUAN | UT | NW SW 31-405- | 25 E | LMI | 0P | 43-037-16354 | 14-20-603-372 | | 96-994199 |
| | J-13 | SAN JUAN | UT | NU NU 06-415- | 25E | INJ | GP | 43-037-16355 | 14-20-603-372 | | 96-004190 |
| | J-15 | SAN JUAN | UT | NU SW 66-413- | 25E | INJ | 0P | 43-037-15954 | 14-20-603-372 | | 96-004190 |
| | J-17 | CAN JUAN | UT | NW NW 07-415- | 25 E | LWI | OP | 43-037-05595 | 14-20-603-263 | | 76-004190 |
| | J-19 | SAN JUAN | IJΤ | NU SU 07-413- | 25E | LHI | OP | 43-037-05550 | 14-20-603-263 | - | 96-004190 |
| | J-21 | SAN JUAN | UT | NW NW 18-415- | 25E | INJ | OF, | 43-037-06547 | 14-26-603-263 | | 96-004190 |
| | K-14 | SAN JUAN | UT | SE NW 06-415- | 25E | INJ | 0P | 43-037-15956 | 14-20-603-372 | | 96-004190 |
| | K-18 | MAUL MAZ | UT | SE NW 07-415- | 25E | IИJ | OP | 43-037-05583 | 14-20-603-263 | | 96-004190 |
| | K-20 | NAUL HAZ | UT | SE SW 07-415- | 25 E | LNI | 0P | 43-037-15503 | 14-29-603-263 | | 96-004190 |
| | K-22 | SAN JUAN | UT | SE NU 18-415- | 25E | INJ | OP | 43-037-15504 | 14-29-603-263 | | 96-004190 |
| | K-22% | SAN JUAN | UT | SE HU 18-415- | 25 E | INJ | ûP | 43-037-30400 | 14-20-603-263 | | 96-004170 |
| | K-24 | SAN JUAN | UT | SE SW 18-415- | 25E | INJ | OP | 43-037-05406 | 14-20-603-263 | | 96-004190 |
| | L-09 | SAN JUAN | UT | NW NE 31-405- | 25E | INJ | OP | 43-037-16359 | 14-20-603-372 | | 96-004190 |
| | L-11\ | MAUL WAS | บา | NU SE 31-405- | 25E | LKI | OP | 43-037-15958 | 14-20-603-372 | | 96-004190 |
| | L-13 | SAN JUAN | UT | NU NE 06-415- | 25E | LNI | CP | 43-037-15959 | 14-20-603-372 | | 96-004190 |
| | L-15 · | SAN JUAN | UT | NW SE 06-415- | 25E | INJ | OF' | 43-037-15960 | 14-20-603-372 | | 96-004190 |
| | L-17 V | SAN JUAN | UT | NU NE 07-418- | 25E | INJ | OP | 43-037-05613 | 14-20-603-263 | | 96-004190 |
| | L-19- | MAUL MAZ | UT | NW SE 07-415- | 25E | LMI | 9P | 43-037-05539 | 14-20-603-263 | | 96-00 4190 |
| | L-21 🗸 | MAUL MAZ | UT | NW NE 19-415- | 25E | LNI | OP | 43-037-05471 | 14-20-603-263 | | 96-004190 |
| | L-23 🗸 | MAUL MAZ | UT | NE SE 18-415- | 25E | INJ | OP | 43-037-15507 | 14-20-603-263 | | 96-004190 |
| | L-25 🗸 | HAUL MAZ | UT | NW NE 19-415- | 25E | INJ | 9P | 43-037-15508 | 14-20-603-264 | | 96-004190 |
| | | SAN JUAN | UT | SE SE 31-403- | 25E | INJ | OP | 43-037-15962 | 14-20-603-372 | | 96-004190 |
| | | SAN JUAN | UT | SE NE 06-415- | 25E | INJ | ű? | 43-037-15963 | 14-20-603-372 | | 76-004190 |
| | | SAN JUAN | UT | SE SE 06-4:S- | 25E | LKI | Ü۲ | 43-637-15361 | 14-20-503-372 | | 96-004190 |
| | | SAN JUAN | UT. | SE HE 07-418- | 25E | INJ | 02 | 43-937-15510 | 14-20-603-263 | | 96-004190 |
| | , | SAN JUAN | UT | SE SE 07-413- | 25E | INJ | 0P | 43-037-15511 | 14-29-603-263 | | 96-004190 |
| | | SAN JUAN | IJŢ | HE-SW 29-405- | 25E | INJ | UP. | 43-037-05819 | I-149-IND-8839-A | | 96-004190 |
| • | N-69 V | SAN JUAN | ŰΪ | NW NW-32-405- | 25E | Liil | CP | 43-037-15964 | 14-26-603-372 | | 96-004190 |

Same Same Same

A SEE SEA

Mobil Oil Corporation

Utah Board of Oil, Gas and Mining

Salt Lake City, Utah 84180-1203

Associate Director

355 West North Temple 3 Triad Center, Suite 350

Attn: R. J. Firth

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

DIVISION OF

OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

DIVISION OF OIL, GAS AND MINING

OF THE STATE OF UTAH

DESIGNATION OF AGENT

| of Utah, does, pursuant to the Rules and Procedure of the Division of Oil | hardson , whose address is | | | | | | |
|---|--|--|--|--|--|--|--|
| designated agent to accept and to be | served with notices from said Board, er the Oil and Gas Conservation Act of | | | | | | |
| The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations. | | | | | | | |
| Effective date of designation _ | April 24, 1986 | | | | | | |
| | , , , , , , , , , , , , , , , , , , , | | | | | | |
| Mobil Exploration and Producin Company North America Inc. | ng Address <u>P. O. Box 5444, Denver, CO 80217</u> | | | | | | |
| | 1. 0. Box 3444, Denver, CO 80/1/ | | | | | | |

NOTE: Agent must be a resident of the State of Utah

This requirement was waived by Utah Board of Oil, Gas and Mining staff.

PAGE

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEZ SUPERVISOR AREA FOR THE GREATER ANETH FIELD 05/13/86

| PROPERTY NAME | WELL NAME | COUNTY | STATE | SEC TWASHP RING | WELL TYPE | 2 A 1 | API NUMBER | FEDERAL LEASE NUMBER | STATE NUMBER | LWIT NUMBER |
|------------------|---------------|----------|-------|------------------|--------------|-------------|----------------|-------------------------|-----------------|----------------|
| HC ELMO CREEK | H-16• | MAUL MAZ | UT | SW SE 01-415-24E | PROD | OP | 43-037-30366 | 14-20-603-4039 | | 96-004190 |
| | − H-17 | MAUL MAZ | UT | NW NE 12-415-24E | INJ | OF' | 43-037-05605 | 14-20-603-4039 | | 96-004190 |
| | H-17B • | MAUL MAS | UT | SE SE 1-41S-24E | PROD | OP | 43-037-30415 | 14-20-603-4039 | | 96-604193 |
| | H-18• | SAN JUAN | UT | SW NE 12-415-24E | PROD | 0P | 43-037-30364 | 14-20-603-4495 | | 95-064190 |
| | H-19• | SAN JUAN | UT | NU SE 12-415-24E | PROD | OP | 43-037-20304 | 14-20-603-4495 | | 96-904190 |
| | H-20 • | HAUL HAZ | UT | SW SE 12-418-24E | PROD | OP | 43-037-15708 | 14-20-603-5451 | | 96-694190 |
| | H-21• | SAN JUAN | UT | NW NE 13-415-24E | COMP | | 43-037-31192 | 14-20-603-370 | | 96-004190 |
| | H-22• | SAN JUAN | UT | SW NE 13-415-24E | PROD | OP | 43-037-15950 | 99500-603-370 | | 96-004190 |
| | Н-23• | SAN JUAN | UT | NW SE 13-415-24E | COMP | | 43-037-31193 | 14-20-603-370 | | 96-004190 |
| | H-24 • | SAN JUAH | UT | SW SE 24-415-24E | PROD | TA | 43-037-15951 | 14-20-603-370 | | 96-004190 |
| | H-25• | SAN JUAN | UT | NU NE 24-415-24E | COMP | | 43-037-31010 | 14-20-603-370 | | 96-004190 |
| _ | H-26• | SAN JUAN | ÜT | SW NE 24-415-24E | PROD | 0P | 43-037-15952 | 14-20-603-370 | | 96-004190 |
| | I-11 | SAN JUAN | UT | NE SE 36-40S-24E | PROD | 0P | 43-037-30358 | 14-20-0603-6145 | | 96-004190 |
| | I-12 • | SAN JUAN | UT | SE SE 36-40S-24E | PROD | OP | 43-037-15619 | 14-20-0603-6145 | | 96-004190 |
| | I-13 • | SAN JUAN | UT | NE NE 01-415-24E | PROD | OP | 43-037-30257 | 14-20-603-4032 | | 96-004190 |
| | I-14. | SAN JUAN | UT | SE NE 01-415-24E | PROD | OP | 43-037-16145 | 14-20-603-4032 | | 96-004190 |
| | I-15. | SAN JUAN | UT | NE SE 1-41S-24E | PROD | OP | 43-037-30361 | 14-20-603-4039 | | 96-004190 |
| | I-16• | SAN JUAN | UT | SE SE 01-41S-24E | PROD | OP | 43-037-15497 | 14-20-603-4039 | | 96-004190 |
| | -I-16B · | SAN JUAN | UT | SW SW 06-415-25E | PROD | OP. | 43-037-30417 | 14-20-603-372 | | 96-904190 |
| | I-17• | SAN JUAN | UT | NE NE 12-415-24E | PROD | OP | 43-637-30367 | 14-20-603-4039 | | 96-004190 |
| | I-18. | MAUL MAZ | UT | SE NE 12-415-24E | PROD | OP | 43-037-15709 | 14-20-603-4495 | | 96-004190 |
| | I-19* | MAUL MAZ | UT | NE SE 12-415-24E | PROT | OP | 43-037-30365 | 14-26-603-4495 | | 96-604190 |
| | I-20 · | MAUL MAZ | UT | SE SE 12-415-24E | INJ | 07 | 43-037-05524 | 14-20-603-4495 | | 96-004190 |
| | I-21. | SAN JUAN | UT | NE NE 13-418-24E | PROI |) OP | 43-037-15953 | 14-20-603-370 | | 95-004190 |
| | I-22• | SAN JUAN | UT | SE NE 13-415-24E | COMP | 3 | 43-037-31187 | 14-20-603-370 | | 96-004190 |
| | I-23 • | SAN JUAN | UT | NE SE 13-41S-24E | INJ | OF | 43-037-16352 | 14-20-603-376 | | 96-004190 |
| | I-24 • | SAN JUAN | UT | SE SE 13-415-24E | PRCI |) OF | 43-037-30186 |) 14-20-603-370 | | 96-004190 |
| | I-25· | SAN JUAN | UT | NE NE 24-415-24E | INJ | OF | ° 43-037-16353 | 3 14-20-603-370 | | 96-004190 |
| | . 11-ل | SAN JUAN | UT | NW SW 31-40S-25E | LKI | ij, | ° 43-037-16354 | 1 14-20-603-372 | | 96-004190 |
| | J-12 • | SAN JUAN | UT | SW SW 31-46S-25E | PRO | D OF | 43-037-30342 | 2 14-20-603-372 | | 96-664190 |

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

| operator: Superior | Well No. | n.C. | Elas Cu | ck Unto | I-23 |
|--|----------------|----------|--------------|---------------|----------------|
| County: San Juan T 415 R Z | 4€ Sec. | 13 1 | API#43-0 | 337-16. | 352 |
| wew Well Conversion Disposel | Well | Enhance | ed Recover | y Well 💆 | <u> </u> |
| | | | YES | 110 | |
| UIO Forms Completed | | | | | |
| Plat including Surface Owners. and wells of available recor | leaschol: c | ders, | | | <u> </u> |
| Schematic Diagram | | | | | |
| Fracture Intermation | | | | | |
| <pre>/ Pressure and Rate Control</pre> | | | | | |
| Adequate Geologic Information | | · | | ., | _ . |
| Fluid Source | | | Juste | relk- | - de |
| Analysis of Injection Fluid | Yes | | | TDS 40 | |
| Analysis of Water in Formation to be injected into | | | No: | | |
| | navgo | - Chun | Le Depti | h 130 | <u></u> |
| Number of wells in area of rev | view | PI PI | cd. <u>5</u> | P&A 🕗 | |
| | | ٣a | ter <u>0</u> | Inj. <u>2</u> | <u>}</u> |
| Aquifer Exemption | Yes | | NA | | |
| . Mechanical Integrity Test | Yes | <u> </u> | No L | | |
| • | Dat | :e | Тур | e | |
| Comments: | | <u> </u> | | | <u>-</u> |
| | | · | | | |
| | | | | | |
| | | | • | | |
| On 1 | | | | | |
| Reviewed by: | | • | | • | |

CO2 Began inject 2/28/86

UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

| OPERATOR: | MEP | NA | · · · · · · · · · · · · · · · · · · · | | | |
|-------------------|------------|----------------------|---------------------------------------|----------------------|---------------------------------|-----------------------|
| FIELD: brea | ter - | Aneth | 1 | LEASE:_/ | 1c Elmo Creek | |
| WELL # <u>I</u> - | 23 | | | SEC/3 | TOWNSHIP 4/5 RANGE | 24E |
| STATE FED. F | TEE DEPT | TH 545 | 64 T YP 8 | PE WELL I | NJWMAX. INJ. PRESS. | 2800 ps; 4000 BWPD |
| TEST DATE | 9/10 | 186 | | | | |
| CASING STRING | | SET AT | CMT | PRESSURE READINGS | REMARKS | FUTURE |
| SURFACE | $13^{3/8}$ | 87' | 150 sx | | SI- due to pravious | · |
| INTERMEDIATE | 8 5/8 | 1310' | 1200sx | | test reading of | - |
| | | | | | 120# on | |
| | | | | | bradenhead; | |
| TUBING | 27/8" | <u>5217</u> Paper | | | bradenhead; pending workover | |
| Ba | ber "N" | Paken | 5218 | , | | |
| CASING STRING | SIZE | SET AT | CMT | PRESSURE READINGS | REMARKS | FUTURE |
| SURFACE | · | | | | - | |
| INTERMEDIATE | | | | | | |
| PRODUCTION | | | | | | |
| | <u> </u> | | | | | |
| TUBING | | * | | | | |
| | | | | DD COCKEDE | | |
| CASING STRING | SIZE | SET AT | CMT | PRESSURE READINGS | REMARKS | FUTURE |
| SURFACE | | | | · | | |
| INTERMEDIATE | | | | | | |
| PRODUCTION | | | | | | |
| | | | | | | |
| TUBING | | | | | | |

UNITED STATES DEPARIMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Action is Necessary

SUNDRY NOTTCES AND REPORTS ON WELLS

| SUNDRY NOTICES AND REPORTS ON WELLS | Navajo |
|--|--|
| 1. Oil Well /_/ Gas Well /_/ Other: Inject: | ion Well 7. Unit Agreement Name McElmo Creek |
| 2. Name of Operator | Farm or Lease Name |
| MOBIL OIL CORPORATION | McElmo Creek Unit |
| 3. Address of Operator | . Well No. |
| P. O. DRAWER G, CORTEZ, CO. 81321 | I-23 |
| | 10. Field and Pool, or Wildcat WVISION OF Greater Aneth |
| 1980' FSL 660' FEL (7) | V V IAJICITA I III. |
| 01 L , | GAS & MINING 11. Sec. T,R,M or BLK and Survey or Area |
| - | Sec 13, T41S, R24E |
| 14. Permit No. 15. Elevations (DF, RT, GR) | 12. County, Parish 13. State |
| 43-037-16352 GL 4447' | San Juan Utah |
| | |
| 16. CHECK APPROPRIATE BOX TO INDICATE NATURE O | F NOTICE, REPORT OR OTHER DATA |
| Notice of Intention To: | Subsequent Report of: |
| | ater Shut-off /_/ Repairing Weil /_/ |
| Fracture Treat /_/ Multiple Complete /_/ F | |
| | hooting/Acidizing /_/ Abandonment * /_/ Other) / / |
| | NOTE: Report results of multiple completion on |
| | ell Completion or Recompletion Report and Log Form.) |
| | |
| 17. Describe Proposed or Completed Operations (Clearly sta | |
| including estimated date of starting any proposed work. If locations and measured and true vertical depths for all mar | |
| locations and measured and true vertical depths for all mai | Reis and zone perchienc to this work) |
| Squeeze cement casing annulus between 8 5/8" surface | casing & 5 1/2" production |
| casing with 225 sx class G cement in order to shut of | |
| into annulus. Water shut-off will prevent external | |
| casing and internal corrosion of 8 5/8" surface casi | ng. This will further help |
| to protect ground water resources and extend the life | e of the wellbore. |
| | |
| 18. I hereby certify that the foregoing is true and | correct |
| | |
| Signed: M. T. Balon | Title: Sn Oo Engr Date: 11/09/88 |
| M. T. Balog | Title: Sn Op Engr Date: 11/09/88 |
| 11. 1. 20108 | |
| (This space for Federal or State office use) | |
| APPROVED BY | TTILE: DATE: |
| CONDITIONS OF APPROVAL, IF ANY: | Accepted by the State |
| Tible 10 H 0 0 Ocables 1001 colors the contractor | of Utah Division of |
| Title 18 U.S.C. Section 1001, makes it a crime for any personal department or appropriate the limited States any false, first it | |
| department or agency of the United States any faise, fictit to any matter within its jurisdiction. | - 1/ 100 000 |
| to any matter within its juitsuiction. | Date: <u>//-//- 82</u> |
| Federal Approval of this | By: |
| | |

5. Lease Designation &

6. If Indian, Allottee or Tribe Name

14-20-603-370

Serial No.

UNITED STATES DEPARIMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT



Serial No. 14-20-603-370

| SUNDRY NOTICES AND REPORTS ON WELLS OIL, GAS & MINING | If Indian, Allottee or Tribe Na Navajo |
|--|---|
| 1. Oil Well // Gas Well // Other: Injection Well | 7. Unit Agreement Name McElmo Creek |
| Name of Operator MOBIL OIL CORPORATION Address of Operator P. O. DRAWER G, CORIEZ, CO. 81321 Location of Well 1980' FSL 660' FEL | 8. Farm or Lease Name McElmo Creek Unit 9. Well No. I-23 10. Field and Pool, or Wildcat Greater Aneth 11. Sec. T,R,M or BLK and Survey or Area |
| 14. Permit No. 15. Elevations (DF, RT, GR) 43-037-16352 GL 4447' | Sec 13, T41S, R24E 12. County, Parish 13. State San Juan Utah |
| Fracture Treat /_/ Multiple Complete /_/ Fracture Treatment /_ Shoot or Acidize /_/ Abandon * /_/ Shooting/Acidizing /_ Repair Well /_/ Change Plans /_/ (Other) /_/ (NOTE: Report results | ct of: cx/ Repairing Well /_/ _/ Altering Casing /_/ _/ Abandonment * /_/ _/ s of multiple completion on completion Report and Log Form.) |
| Shut water injection off the well. Rigged up Halliburton Services to Performed Braden Head squeeze on 8 5/8" surface casing & 5 1/2" production of the well. Pumped cement in ten minutes at pressure 0 psia. Final pump pressure 100 psia. Rigged down Halliburt 12/06/88 | etion casing annulus with 100 sx of rate of 2.5 BFM. Initial pump |
| Changed out old surface casing value and pipe nipples. Water flow had Installed new 2" pipe nipples and plug valve on 8 5/8" surface pipe ca to water injection. | |
| 18. I hereby certify that the foregoing is true and correct | |
| Signed: M. T. Balog Title: Sn Op Eng | r_Date: 12/30/88 |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

| Form 3160-5 December 1989 UNITE | n etr | Form Approved Budget Page No. 1004-013 | 5 |
|--|--|---|---|
| DEPARTMENT | | Expires tember 30, 1990 | |
| | LAND MANAGEMENT ND REPORTS ON WELLS | 5. Lease Designation and : Unit 96-004190 | Serial No. |
| Do not use this form for pro | posais to drill or to deepen or voir. Use "APPLICATION FOR PERMIT" | 6. If Indian, Allottee or Navajo Tribal | Tribe Name |
| SUBMIT IN TR | IPL ICATE | 7. If Unit or CA, Agreemer | nt Designation |
| 1. Type of Well Oll Gas /X/Well /_/Well | | 8. Well Name and No. I - 23 | • |
| 2. Name of Operator MOBIL GIL CORPORATION | OIL. CAS & MINING | 9. API Well No 16 | |
| 3. Address and Telephone No P. O. Drawer G, Cortez, | | 10. Field and Pool, or Exp Greater Aneth | oratory Area |
| Location or Well (Footag or Survey Description | e, Sec., T., R., M. | i 11. County or Parish, State | OIL AND GAS DRN RUF |
| • | Sec 13, T415, R24E | San Juan, Utah | JRB - CLH |
| <u> </u> |) TO INDICATE NATURE OF NOTICE, REPORT OF | R OTHER DATA | DTS SLS |
| TYPE OF SUBMISSION | TYPE OF ACT | ION | |
| / / Nahlas of Jahaah | /_/ Abandonment | /_/ Change of Plans | a.TAS |
| /_/ Notice of Intent | | /_/ New Construction // Non-Routine Fracturing |) MICROFILM |
| /_/ Subsequent Report | /_/ Casing Repair | /_/ Water Shut-Off |) FILE |
| / / Final Abandonment | / / Altering Casing Notice / /X / Other Long term | /_/ Conversion to injection | H. |
| /_/ THAT PDA ROUBINITE | (Note: Rep | port results of multiple complet or Recompletion Report and Log | |
| including estimated date of | mpleted Operations (Clearly state all per starting any proposed work. If well is d rue vertical depths for all markers and z | directionally drilled, give subs | * |
| scheduled for reconditioning part of the CO2 flooding exp | long term shut-in status. This injection within the next twelve months and will be ansion within the McElmo Creek Unit. | pe put back on active status. T | |
| | ing U. S. inc., as agent for Mobil Oil Co | orp. | |
| Signed Charles B. B. C. J. Berfally | A (| onmental Engineer Date_: | 3/30/90 |
| (This space for Federal or S Approved by | tate office use) Title | Date | |
| Conditions of approval, if a | ny: | | GLH |
| | 1, makes it a crime for any person knowing es any false, fictitious or fraudulent sta | atements or representations is t | PROPER time int CONCINTEDER MICROFILM |
| | | <u> </u> | FILE) |

| Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET | Routing: |
|---|--|
| Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable. | 2- DTS 273 3- VLC 4- RJF |
| | 5- RWM 6- LCR Fee |
| The operator of the well(s) listed below has changed (EFFECTIVE DATE: | 4-24-86) |
| | MOBIL OIL CORPORATION P. O. BOX 900 DALLAS, TX 75221 |
| | phone <u>(214) 658-2690</u> account no. <u>N3790</u> |
| Well(s) (attach additional page if needed): | |
| MCELMO K-26 Name: NAV TRACT 115-7/IS-DC API: 43-037-10558 Entity: 5980 Sec 19 Twp Name: MCELMO CRK U: 123/IS-DC API: 43-037-16352 Entity: 99990 Sec 13 Twp Name: MCELMO CRK U P-23A/DSCR API: 43-037-31439 Entity: 5980 Sec 17 Twp Name: API: Entity: Sec Twp | 41SRng24E Lease Type: INDIA 41SRng25E Lease Type: INDIA Rng Lease Type: Rng Lease Type: |
| OPERATOR CHANGE DOCUMENTATION | |
| 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has b operator (Attach to this form). (Rule 5-16-86) | een received from <u>former</u> |
| NA 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been (Attach to this form). | received from <u>new</u> operator |
| 3. The Department of Commerce has been contacted if the new operating any wells in Utah. Is company registered with the yes, show company file number: | tor above is not currently state? (yes/no) If |
| 4. (For Indian and Federal Hells ONLY) The BLM has been contact (attach Telephone Documentation Form to this report). Make comments section of this form. Management review of Federal changes should take place prior to completion of steps 5 through | e note of BLM status in and Indian well operator h 9 below. |
| 1 5. Changes have been entered in the Oil and Gas Information System listed above. (7-2-91) | m (Wang/IBM) for each well |
| Lef 6. Cardex file has been updated for each well listed above. | |
| $\frac{f_{ac}}{f_{ac}}$ 7. Well file labels have been updated for each well listed above. | |
| 8. Changes have been included on the monthly "Operator, Address, for distribution to State Lands and the Tax Commission. | and Account Changes" memo |
| A folder has been set up for the Operator Change file, and a placed there for reference during routing and processing of the | copy of this page has been original documents. |
| - OVER - | |

| KATOR CHANGE WORKSHEET (CONTINUED) Initi each item when completed. Write N/Aitem is not applicable. | , j |
|---|------------------------------|
| TITY REVIEW | |
| 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. entity changes made? (yes no) (If entity assignments were changed, attach cop Form 6, Entity Action Form). | |
| 2. State Lands and the Tax Commission have been notified through normal proceduentity changes. | res of |
| OND VERIFICATION (Fee wells only) | |
| 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furni proper bond. | shed a |
| 씨 2. A copy of this form has been placed in the new and former operators' bond files. | |
| 4/43. The former operator has requested a release of liability from their bond (yes/no follows) Today's date 19 If yes, division response was made by dated 19 |)) letter |
| EASE INTEREST OWNER NOTIFICATION RESPONSIBILITY | |
| 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above ha notified by letter dated 19, of their responsibility to notification with an interest in such lease of the change of operator. Documentation of notification has been requested. | is been fy any of such |
| 4 2. Copies of documents have been sent to State Lands for changes involving State lease | es. |
| TUMING | |
| Rwn 1. All attachments to this form have been microfilmed. Date: July 8 19 | 9 <u>2[</u> . |
| [LING | |
| 1. <u>Copies</u> of all attachments to this form have been filed in each well file. | |
| £-2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Op Change file. | perato" |
| OMMENTS | |
| 910702 All other wells were changed 6-26-86 of 4-24-86. (Superior / Mobil Oil Corp. to ME * These wells were overlooked. | EPNA) |
| 910702 UIC / Dan Garvis "Authority to Inject Transfer not necessary". | |
| | |
| Z71/34–35 | |

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No. 14-20-603-370

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

NAVAJO TRIBAL

| SUBMI | 7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT | |
|--|--|---|
| 1. Type of Well Oil Gas Well Well Cother* INJECTION 2. Name of Operator MOBIL OIL CORPORATION 3. Address and Telephone No. P.O. BOX 633, MIDLAND, TX 79702 4. Location of Well (Footage, Sec., T., R., M., or Survey I | 8. Well Name and No. -23 9. API Well No. 43-037-16352 10. Field and Pool, or Exploratory Area GREATER ANETH | |
| 1980' FSL, 660' FEL SEC. 13, T41 | SAN JUAN, UTAH ORT, OR OTHER DATA | |
| TYPE OF SUBMISSION | TYPE OF ACTION | N |
| Notice of Intent Subsequent Report Final Abandonment Notice | Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other SQUEEZE all pertinent details, and give pertinent dates, including estimated date of start | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |

SEE ATTACHMENT

Accepted by State of Utah Division of

Oil, Gas and a sing

Date: 4-30 72

By: 200

DIVISION OF OIL GAS & MINING

| | e foregoing is true and correct SHIRLEY TODD | Title ENVIR. & REG. TECH | Date 1/23/92 |
|------------------------------------|--|--------------------------|--------------|
| (This space for Federal | or State office use) | | |
| Approved by Conditions of approval | Federal Approval of this Action is Necessary | Title | Date |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

PROPOSED WORKOVER PROCEDURE McELMO CREEK UNIT

I-23

SAN JUAN COUNTY, UTAH

LOCATION:

NE/SE SEC. 13, T41S, R24E

ELEVATION:

GL: 4451' KB: 4462'

CURRENT STATUS:

WAG injection well injecting 750 bwpd when shut-in due

to a failed MIT requested from EPA.

PLAN:

POOH w/ injection equipment. Isolate cag leak and squeeze. Clean out to PBTD. Run new flourolined tbg w/ torque ring coupling and hang well back on water

injection.

PERTINENT DATA:

See cover page, well history sheets, and wellbore diagram. Also note specific procedures for dressing

on/off tool.

PROCEDURES:

- Net all workover pits and open tanks. If blowing back CO2, make 1) sure no entrained oil is present and preferably blow back to empty tank while monitoring CO2 drift. Notify EPA prior to performing casing work and MIT.
- MIRU DDPU w/ minimum of 96' derrick. Close master valve and 2) bleed off backside pressure (if any is present). Remove the head bolts, install lifting sub. MI Baker Oil Tools. Pick up the and rotate to left to close shut-off valve and get off on/off tool. Bleed off pressure. Circulate 10# brine kill fluid. ND wellhead, NU 7-1/16", 5000 psi WP BOP's w/ pipe rams for 2-3/8" tbg and lower blind rams. Also NU 7-1/16", 5000 psi annular blowout preventers. Ensure BOP's have been tested and certified. Install all bolts in BOP's and verify rams/annular BOP's properly operate w/ accumulators.
- Latch on/off tool, open valve and release packer w/ left hand 3) rotation. POOH with 165 jts, 2-3/8" tbg + Baker 'HEL' on/off tool + Baker model 'B' downhole shut-off valve (SOV) + Baker_ 5-1/2" inverted lok-set packer. LD tbg on float using thread protectors and move out. Send on/off tool + SOV + packer to Baker yard as still made up. Baker to hydrotest assembly and report to engineering prior to redressing,
- 4) Change out pipe rams for 2-7/8" tbg. PU 5-1/2", 14#-15.5# RBP and packer on 2-7/8" workstring and RIH. Set RBP @ +/- 5150'. Load hole w/ brine water and set packer @ +/- 5000'. NU rig pump to the and pressure test down the to 1000 psi, hold for 5 minutes. Bleed off pressure. NU pump to backside and pressure test to 1000 psi for 5 minutes. Bleed off pressure. Continue to

MCU I-23 Page 2

move packer up hole in 500° increments while testing both through the and down annulus until leak is isolated. Once leak is isolated, pump into it to establish rate and pressure. Open bradenhead and determine if circulation to surface is possible. POOH.

Notify EPA of squeeze operation. RIH w/ 2 jts tail pipe + squeeze pkr + 2-7/8" workstring. RU Dowell Schlumberger. Spot 5) cement across csg leak while pulling up hole and clear tailpipe from cement. Set packer and squeeze with (300 sx if leak is below 2300° or 400 sx if leak is above 2300° or 100 sx if no circulation to surface through bradenhead valve) class 'G' cement + 2% calcium chloride + 0.8% D127 fluid loss additive (latex). Begin to hesitate cement at 500 psi and obtain a maximum of 1000 psi final squeeze pressure. If no squeeze is obtained, overflush w/ 5 bbls into csg leak and repeat above procedure w/ 50 sx class 'G' neat cement. Hold squeeze pressure overnight. RDMO DS.

Class 'G' w/ additives:

1.145 cu-ft/sk Yield:

15.8 ppg Weight:

Pump Time: +/- 60 minutes
Fluid Loss: 10-25 cc/30 min

Class 'G' neat:

1.145 cu-ft/sk Yield:

15.8 ppg Weight: Pump time: +/- 2 hrs
Fluid Loss: 1000-1200 cc/30 min

- Bleed off pressure. POOH w/ tailpipe + packer + workstring. RIH 6) w/ 4-3/4" bit + scraper + 5 drill collars + stabilizers + 2-7/8" workstring and drill out squeeze. Close pipe rams and pressure test squeeze to 1000 psi for 30 minutes. Bleed off pressure and POOH.
- RIH w/ retrieving head for RBP on 2-7/8" workstring. Fill hole 7) with 10# brine kill fluid. Release RBP and RIH to tag for fill (PBTD=5418'). POOH.
- RIH w/ 4-3/4" bit + 15.5# scraper + hydrostaic bailer + 175 its 8) 2-7/8" workstring and clean out to PBTD. (If perforations are covered w/ fill, contact engineering for stimulation procedures). POOH.
- PU 30' X 2-7/8" fiberglass tailpipe + Baker 5-1/2" incoloy 9) inverted lok-set packer + model 'B' SOV + 'HEL' on/off tool + +/-165 jts 2-7/8" flourolined tbg w/ torque ring couplings and run in hole. Make up the connections w/ Weatherford tongs and drift tbg w/ 1.85 to 1.90 drift. Make-up requirements for tbg connection are engage torque ring (~1200-1400 ft-lbs torque) and apply an additional 1000 ft-1bs torque into ring (~2200-2400 ft-lbs torque). NOTE: Overshot of on/off tool should be ~4-3/4"

MCU I-23 Page 3

OD and seal section of on/off tool should be lubricated w/ Baker tubing deal grease.

M402:40 Z6-ZZ-10

Set packer & +/- 5160' and energize packing elements when setting. Close valve and release on/off tool w/ left hand rotation, circulate Tretolite packer fluid. Contact EPA and perform MIT by pressure testing tbg/csg annulus to 1000 psi for 30 minutes. Obtain chart of pressure test, contact Production foreman for recorder. ND BOP's and NU wellhead. Land tbg in neutral position and flange up tree. Return well to Operations to place back on water injection. Record initial rate and wellhead injection pressure and report to engineering.

Approved:

KW Walters OE Supervisor TW McPherson Ops Engineer

ENGINEERS CALCULATION SHEET

| FOR MCELA | | | . " | | | | | 0# | | , <u>.</u> | | | | ***** | |
|--|--|---------------|----------------|---|----------|------------|--------------|----------|--------|------------|----------------|----------|-----------|-------------|-------|
| SUBJECT PROPOSE | | E Sense | | - | | | DA | T EL | | A91 | | | | | |
| | | | | • | | | | | | | e Pré | EL! | لمما | | |
| | GL: 4451 | 1 | | | | NE/ | 1 | Sac | | | -4 | 5. | p | UE | 11 |
| | KB: 4462 | | | | | 54. | | | | _ | Σy | - | VIX | i | |
| | | | | | | | | | | | 7 | | | | T |
| NA PARTIES | | | | | | | | 1 - | 1 | | | | | _ | |
| | | | | | | | | | , 9 | | | | | | |
| 87' | | | 13-34 | | 48 | , 4 | -10 | a | nd | | | | | | T |
| | | | CMT | | | 50 | | | | es | me | | | | |
| | | | | | | ŀ | | | 1 | | | | | | |
| 1310' | | | 8.5% | 00 | 24 | , , | 353 | 1 1 | G | | | | | | |
| | | | CMT | , | - 41 | ZOC | t | F | 3 | 1 | En: | - | | | |
| | | | | | | | | | | 1 | | | i | | 1 |
| | | | | | | | | | | | | | | | 1 |
| Toc.@ 4126 | | 2 | 165 | 77 | 2 | z-7 | | 24 | | 7-5 | 5 | T LL | E | | |
| (TEMP LOG) | | . | 14980 | 1 1 | - 1 | | 1- | | f 95 | | 1 - 1 | - 1 | ļ | 20.00 | |
| | | | | | | | 7 | - | 13 | | | | | | |
| | | | | | | | | | | | | | Ī | | 1 1 |
| | | 34 | GR. H | E L | | JI = | 5 7 | 201 | | 1 1 | 91 | 2 | Fu F | Nie | OI E |
| | | | KERA | 1 | | ". | - 1 | 1 | 1 | ſ | [] | - 1 | ł | · 1 | |
| A STATE OF THE STA | | | ER 5- | | | | | | | | | | | | |
| | | 30 | × 2. % | | | RGL | | 1 | 1 | | ! | <u>-</u> | | : | |
| | L -1 | | 1-52 | -1 | | 1 | U.S.A | 1 | ì | ĺ | 25 | PF | İ | | |
| | | | | | | | | | | | | | į | i | |
| | 1 - 190 - 19 | 525 | B'-524 | 5 | | 7 | CASA. | , 4 | | z / | 4 | 51£ | : | | |
| | : | | g'- <u>524</u> | | | 1 | T | 1 | | | į J | 11 | | : | |
| | and the state of t | 2 | ! ; | | | | | 1 | | | | i | ! | | |
| | | 328 | - 5 28 | 7 | | 7 | CI | i | | | | \ (" | 1 | · | |
| · · · · · · · · · · · · · · · · · · · | | | | + | - | | : | | | | , | | | | · · · |
| • | | a che | 5 - 534 | - | | | i | | 25 | | | له ا | SPF | · | |
| | | 534 | 5-534 | 9" | 1 | 1. | SSFA C: J | | | | | 7 | .25: H | | ** |
| • [| • • | 535 | 3'-535 | 7 | · | | | | | | <u> </u> | ! | •4 | | |
| | SHAP - STIE 41949 TI | 3 <i>5</i> 37 | 9'-58 | 34 | <u>-</u> | M | BERT | | CRE | EŁ, | <i>III</i> | | 450 | F | : "- |
| · · · · · · · · · · · · · · · · · · · | | 578 | · - 53 | 8 | | X | Щ | : | | | | • | ,, | | |
| | • • • | , | | | • | | , | | | | • • • <u>-</u> | | •••• | | |
| 5454' | | E-1 | ", 14 | <u>, , , , , , , , , , , , , , , , , , , </u> | | لاس | | وحور | | | | | - | | |
| 2734 | • • • • | | 19. W G! | | | | | | | |) , | | | | |

ENGINEERS CALCULATION SHEET

| • | * Manager | | | OR ALITH. NO. | ************************************** | |
|--|-------------------|-----------------------------|-----------------|---------------|---|------------------|
| FOR MEELME | CREEK UN | I | 10 = | PAGE | | |
| 11)516 | T-23 | | | = /2-16-9 | | |
| SUBJECT CORREST | WELLEDRE S | CHEMATIC | <u>9A)</u> | TW Me | Pureson | |
| | | · | | | | T |
| | 1 1 1 1 1 1 1 1 1 | | NE/SE | Sec . 13, | TUIS, RZHE | ' |
| | SL: 4451 | | SAN JU | COUNT | Y, UTAH | 1 2 |
| | KE: 4462 | | | | | 3 |
| | | | | | | 1 4 |
| | | | | | | 5 |
| 7 7 7 7 | | 13.75 | 10 # 4-110 | 2.4 | | 6 |
| 87 | | 13.78 | 18 11 11 | | FACE | 7 |
| | | CMT'D | 150 5% | 1 | | 8 |
| | | | | | | 9 |
| | | | | | | 10 |
| | | | | | | 11 |
| | | | | | + | 12 |
| | 1 | 8.5% 29 | 1-5-55 | BAD | | 13 |
| | | CAT'D W/ | 1200 5X | TH SU | RFALE. | 14 |
| · , | 11- | | | ! | | 15 |
| | 1 +2 | 145 573 | Z 3/8 , 8 | ro, J-55 | EVE IPC W | |
| | | SPAKATI | 5 850 NI | CHLE COM | TED 3-ACEA | RINGS. |
| Toc e 4126 | ┥ ┦╸╽╴ | | | | | |
| (TEMP LOG) | H | | DNOFF TOO | 1.81 | PROFILE Nipple | . 18 |
| | U -0-1 | BAKER MODEL | יש שפיים | IOLE SHUT-O | e pao D.C. | |
| | | BAKER MODEL 5-1/2" BAKER | MEDICOY MU | ERTED LOK | LAFT PER CE 374 | 20 |
| | | | | | | . 21 |
| 1 | | 5201 - 5212 | LOWER | - Ismay 2 | . 1PF | 22 |
| To the second of the second or | | | | | .l 6 | 23 |
| | | 5238'-5246 | DEWA | T CREEK ! | 4 3 7 1 | 24 |
| and the second s | | -5248'-5261 | | ļ. | | 25 |
| <u>.</u> | | | | | 4 sef | 26 |
| | N | S282'- S287 | De l | | | 27 |
| The second section is a second section of the second section of the second section is a second section of the second section of the second section sec | - | 1 m 1 m | | | | 28 |
| | H | 5335 - 534. | 3 Deser | t Creek II | 4 spf | |
| | | 5345'- 5341 | be I | | | 30 |
| | W I | 1312 - 135 | | <u> </u> | ±11 - "U SPF | |
| , a • • | V | 5379'- 538 | | et creek | 11 | 31 |
| | и — I | 5388'-53 | 18' DCI | = | | 32 |
| | N · | 5 | | | | 33 |
| • | U | 5-12", 14 | فيحسوسود كم يحط | T-55 8 | r> | 34 |
| 5454 | 70 11 11 | 572,14 | 1000 | ואו בידי | 26 | 3: |
| | BID €, | CMT'D W | y 300 5X | to 79 77 | MOBIF OIF - COKI | SENT BY: |
| | | 1440 | E:70 Se-SS- | V | | |

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No. 14-20-603-370

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUNDRY NOTICES AND REPORTS ON WELLS orm for proposals to drill or to deepen or reentry to a different reservoir.

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

NAVAJO TRIBAL

| SUBMI | MCELMO CREEK UNIT | |
|--|---|--|
| 1. Type of Well Oil Gas X Other INJECTION 2. Name of Operator | | 8. Well Name and No. I-23 |
| MOBIL OIL CORPORATION | | 9. API Well No. |
| 3. Address and Telephone No. P.O. BOX 633 MIDLAND, TX 79702 | (915)688-2585 | 43-037-16352 10. Field and Pool, or Exploratory Area |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey I | Description) | GREATER ANETH |
| 1980 FSL, 660 FEL SEC. 13, T415, | R24E ′ | 11. County or Parish, State SAN JUAN, UTAH |
| 12. CHECK APPROPRIATE BOX | (s) TO INDICATE NATURE OF NOTICE, REPO | ORT, OR OTHER DATA |
| TYPE OF SUBMISSION | TYPE OF ACTION | 1 |
| X Notice of Intent | Abandonment | Change of Plans |
| Subsequent Report | Recompletion Plugging Back Casing Repair | New Construction Non-Routine Fracturing Water Shut-Off |
| Final Abandonment Notice | Altering Casing Other | Conversion to Injection Dispose Water |
| 13. Describe Proposed or Completed Operations (Clearly state | all pertinent details, and give pertinent dates, including estimated date of starti | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) ing any proposed work. If well is directionally drilled |

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED PROCEDURE. PROCEDURE HAS BEEN SENT TO EPA FOR APPROVAL.

Accepted by the State of Utah Division of Oil, Gas and Mining

Date: 1-30-82

or representations as to any matter within its jurisdiction.

By: A-

DECENTEUR

JAN 2 7 1592

DIVISION OF OIL GAS & MINING

| I hereby certify that the | oregoing is true and correct | | |
|---------------------------|---|---------------------------------------|--------------|
| Signed Shuley | Godd SHIRLEY TODD | Title ENVIRONMENTAL & REGULATORY TECH | Date 1-17-92 |
| (This space for Federal o | r State office use) | | |
| Annequed by | Federal Approval of this fanAction is Necessary | Title | Date |
| Conditions of approval, | f anyAction is Necessary | | |

PROPOSED WORKOVER PROCEDURE McELMO CREEK UNIT I-23 SAN JUAN COUNTY, UTAH

LOCATION:

NE/SE SEC.13, T415, R24E

ELEVATION:

GL: 4451' KB: 4482'

CURRENT STATUS:

WAG injection well injecting 750 bwpd when shut-in due

to a failed MIT requested from EPA.

PLAN:

POOH w/ injection equipment. Isolate csg leak and squeeze. Clean out to PBTD. Run new flourolined tbg w/ torque ring coupling and hang well back on water

injection.

PERTINENT DATA:

See cover page, well history sheets, and wellbore diagram. Also note specific procedures for dressing

on/off tool.

PROCEDURES:

- 1) Net all workover pits and open tanks. If blowing back CO2, make sure no entrained oil is present and preferably blow back to empty tank while monitoring CO2 drift. Notify EPA prior to performing casing work and MIT.
- 2) MIRU DDPU w/ minimum of 96' derrick. Close master valve and bleed off backside pressure (if any is present). Remove the head bolts, install lifting sub. MI Baker Oil Tools. Pick up the and rotate to left to close shut-off valve and get off on/off tool. Bleed off pressure. Circulate 10# brine kill fluid. ND wellhead, NU 7-1/16", 5000 psi WP BOP's w/ pipe rams for 2-3/8" the and lower blind rams. Also NU 7-1/16", 5000 psi annular blowout preventers. Ensure BOP's have been tested and certified. Install all bolts in BOP's and verify rams/annular BOP's properly operate w/ accumulators.
- Latch on/off tool, open valve and release packer w/ left hand rotation. POOH with 165 jts, 2-3/8" tbg + Baker 'HEL' on/off tool + Baker model 'B' downhole shut-off valve (SOV) + Baker_5-1/2" inverted lok-set packer. LD tbg on float using thread protectors and move out. Send on/off tool + SOV + packer to Baker yard as still made up. Baker to hydrotest assembly and report to engineering prior to redressing.
- 4) Change out pipe rams for 2-7/8" tbg. PU 5-1/2", 14*-15.5* RBP and packer on 2-7/8" workstring and RIH. Set RBP @ +/- 5150'. Load hole w/ brine water and set packer @ +/- 5000'. NU rig pump to tbg and pressure test down tbg to 1000 psi, hold for 5 minutes. Bleed off pressure. NU pump to backside and pressure test to 1000 psi for 5 minutes. Bleed off pressure. Continue to

MCU I-23 Page 2

move packer up hole in 500' increments while testing both through the and down annulus until leak is isolated. Once leak is isolated, pump into it to establish rate and pressure. Open bradenhead and determine if circulation to surface is possible. POOH.

Notify EPA of squeeze operation. RIH w/2 jts tail pipe + squeeze pkr + 2-7/8" workstring. RU Dowell Schlumberger. Spot cement across csg leak while pulling up hole and clear tailpipe from cement. Set packer and squeeze with (300 sx if leak is 5) below 2300' or 400 sx if leak is above 2300' or 100 sx if no circulation to surface through bradenhead valve) class 'G' cement + 2% calcium chloride + 0.8% D127 fluid loss additive (latex). Begin to hesitate cement at 500 psi and obtain a maximum of 1000 psi final squeeze pressure. If no squeeze is obtained, overflush w/ 5 bbls into csg leak and repeat above procedure w/ 50 sx class 'G' neat cement. Hold squeeze pressure overnight. RDMO DS.

Class 'G' w/ additives:

neight: 15.8 ppg
Pump Time: +/- 60 minutes
Fluid Loss: 10-25 cc/26 10-25 cc/30 min

Class 'G' neat:

1.145 cu-ft/sk Yield:

Weight: 15.8 ppg
Pump time: +/- 2 hrs
Fluid Loss: 1000-1200 cc/30 min

- Bleed off pressure. POOH w/ tailpipe + packer + workstring. RIH 6) w/ 4-3/4" bit + scraper + 5 drill collars + stabilizers + 2-7/8" workstring and drill out squeeze. Close pipe rams and pressure test squeeze to 1000 psi for 30 minutes. Bleed off pressure and POOH.
- RIH w/ retrieving head for RBP on 2-7/8" workstring. Fill hole 7) with 10# brine kill fluid. Release RBP and RIH to tag for fill (PBTD=5418'). POOH.
- RIH w/ 4-3/4" bit + 15.5# scraper + hydrostaic bailer + 175 jts 8) 2-7/8" workstring and clean out to FBTD. (If perforations are covered w/ fill, contact engineering for stimulation procedures). POOH.
- PU 30' X 2-7/8" fiberglass tailpipe + Baker 5-1/2" incoloy 9) inverted lok-set packer + model 'B' SOV + 'HEL' on/off tool + +/-165 jts 2-7/8" flourolined tbg w/ torque ring couplings and run in hole. Make up tbg connections w/ Weatherford tongs and drift tbg w/ 1.85 to 1.90 drift. Make-up requirements for tbg connection are engage torque ring ("1200-1400 ft-1bs torque) and apply an additional 1000 ft-lbs torque into ring (~2200-2400 ft-lbs torque). NOTE: Overshot of on/off tool should be ~4-3/4"

MCU I-23 Page 3

OD and seal section of on/off tool should be lubricated w/ Baker tubing deal grease.

Set packer @ +/- 5160' and energize packing elements when setting. Close valve and release on/off tool w/ left hand rotation, circulate Tretolite packer fluid. Contact EPA and perform MIT by pressure testing tbg/csg annulus to 1000 psi for 30 minutes. Obtain chart of pressure test, contact Production foreman for recorder. ND BOP's and NU wellhead. Land tbg in neutral position and flange up tree. Return well to Operations to place back on water injection. Record initial rate and wellhead injection pressure and report to engineering.

Approved:

KW Walters

OE Supervisor

TW McPherson Ops Engineer

CO-180 (1-51)

| | O CREEK U | N.T. | 108 | OR AUTH. NO. | |
|----------------|------------|---------------|---------------|-----------------|----------|
| LOCATION INFL | | | | PAGE | |
| BURNECT CORRER | T WELLEDRE | SCHEMATIC. | | 12-16-8/ | |
| | | | BY | TW MEPHERSON | 7 |
| | GL: 4451' | | NE/SE | Sec 13, T413, R | 246 |
| | KB: 4462 | | | N COUNTY, UT | |
| | | | | | |
| RH | | | | | |
| | | | | | |
| 87 | | 13.36 | 48 # H-40 | Bad | |
| | | | 1 1 1 | TO SURFACE | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| /3/0 | | 8-9 2 | 1 5-55, 8 | 3 AD | |
| | | | | TO SURFACE. | |
| | | | | | |
| | 7 | 165 513 | 7.3% 800 | , J-55, EVE 1 | PC W/ |
| TOC @ 4126 | | |) | E CONTED Ja | 1 7 |
| (TEMP LOG) | | | | | ! |
| | | BALGR HEL | NOFF TOOL A | SHUT-OFF VALVE | u, pple. |
| | 1 40F | BAKER MODEL | ,8, pomment | SANT-OFF VALVE | |
| | | 5-14" BAKER | NECOY /NVERT | ed tok-set per | & 2/61 ' |
| | | | | | |
| | | —520i - 5212' | Feedy II | MAY Z SPF | : ! |
| | | 5738'-5245' | DESEAT CI | LEEK 1: 45PF | |
| | | 5248' - 5265 | • | 4set | |
| | | | | | |
| | | £182'- £287 | DC I | 4 <i>s</i> ef | |
| | | | | | |
| | | 5335 - 5343 | DESERT CE | EEKII 4 spf | |
| | · 2 | राभर'- राभा' | be# | | |
| | | | | ii | , |
| | į į | 5379'- 5384 | | REEK III 4 SPF | • |
| Į. | , | 5388'- 5398 | DC III | | |
| , [] | | | مد | | • |
| 5454 | | 5-12", 14 = 1 | 5-50 may 5-50 | 2 SAD | |

35

ENGINEERS CALCULATION 5' ET

| | O CREEK | | | | ! | | , | 10 B 0# | | P AG 6 | | | | | |
|-----------------|---------------|----------|--|--------|-------------|-----------------|------------|-------------|------------|----------------|--------------|-------------|--|--|-------------------|
| SUBJECT PROPOS | | <u> </u> | | | | | | DATE | | | | | - | | |
| SUBJECT / ROPOS | SP WELLBOR | | | | | | | BY . | | | | | (مو: | ı | |
| | GL: 445/ | 1 | | | | Ne | /, | 5 | c 1 | 5 | 14 | ا ری | 2 | 46 | |
| | KB: 4462 | | | | | | 1 L | JUA | | 1 | 1 | } - I | 1 1 | - 1 | |
| | 100 | | | | | | | | | 7 | | | | | |
| ИИ | | | | | · . | | | | | | | | | | Τ |
| И | | – | | | | | | | | | | | | | |
| 87 | | | /3 | 36 | 48 | + | 1- | 12 5 | 3 rd | | | | | | |
| | | | 7 | 7.3 | , , | * | 1 1 | <u> </u> | | | me | 5 | | | |
| 1 | i i | | | | | | | | 2-2 | 4 | | | | | |
| 1310 | | | 8. | 56 | Zy | g at | J - | 55 | 8.0 | | | | | | <u> </u> |
| | | | | | · 44 | 1 | | | | JU. | E'M | - | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | 1 | <u> </u> | | | |
| Toce 4126 | | | - 1/2 | 145 | - - | 2- | 7 | - | ٠, | _ | 55, | = u | E | | 1 |
| CTEMP LOS) | | | | | • | 1 | | - | - 1 | | 1 | | | بحدموح | ļ , , , |
| | | | | | | | | | ^ | 5 | | 1 | | | <u> </u> |
| | UTT | | | | | | | | | , | | <u>L</u> . | <u> </u> | _ _ | 1 |
| | | | BAKE | Z A | E | anle | FF | 731 | | | BI | Pre | FILL | Niel | !!! |
| | | | BAKE | | | | 1 (| | | | | 1 | | , ; | ! |
| | | | BAKEA | 5-1 | و(''ع | HOLE | × y | Lok- | WCT. | Hace | KER | 0 | 1/2 | Ko'_ | · — |
| | |] | 30 x | Z. 7/2 | "FI | BER | SLA | 35 7 | 4140 | 100 | , ! | | - | <u> </u> | <u>:</u> |
| | | | 5201 | - 521 | 2 | | باعد | SA : | 200 | y L | | SPF | . <u>'</u> | <u> </u> | |
| | | | | | | <u> </u> | <u> </u> | | | _ | | _ | ļ | <u> </u> | |
| | | | _5238 | 524 | 5 | | De | ERT_ | <u>Cor</u> | # K. | 1 2 | 1 51 | F_ | <u> </u> | |
| | H | F | 5248 | - 524 | 5' | | DC. | T | | | | <u> </u> •• | - | <u> </u> | <u>:</u> |
| | | 2 | 5282 | ìii | | . | | . T | | | + | 1 | ! | ! | |
| · | | 3 | 3088 | 300 | | <u> </u> | | | _ | | | <u> </u> | <u>i </u> | | |
| • | 1 | | · | ! | | | <u> </u> | <u> </u> | | . | - | : | <u> </u> | : -= | |
| | 1 | . 6 | 5335 | - 534 | 13 <u> </u> | |)ar | se r.t | | 45 | 2 1 | | 4 51 | F | |
| | H , .: | | 5345 | -534 | 19 | - | | | | | - | <u> </u> | | | |
| | | | 5377 | | | <u> </u> | • | EKT | | LEE) | الات | | 45 | PF | |
| | | | 1 1 | | | | | | <u> </u> | 1 | | | | | |
| | 11 . | 3 | 5388 | - 53 | 78 | : : <u>-</u> | DC. | 世 | | - - | • | | | | |
| | И | I . | | : | . | 1 | : | 1 | i | : | • | • | | | |

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.

FORM APPROVED

14-20-603-370

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

| SUBMIT II | 7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT | |
|--|---|---|
| 1. Type of Well Oil Gas X Other INJECTION | | 8. Well Name and No. |
| 2. Name of Operator MOBIL OIL CORPORATION | APR 1 3 1992 | 9. API Well No. |
| 3. Address and Telephone No. P O BOX 633 MIDLAND, TX 79702 | DIVISION OF (915) 688-2585 | 43-037-16352 10. Field and Pool, or Exploratory Area |
| | - 10101010 | GREATER ANETH |
| Location of Well (Footage, Sec., T., R., M., or Survey Description 1980' FSL 660 FWL SEC 13, T41S, R | 24E | 11. County or Parish, State |
| | | SAN JUAN. UTAH |

| | | | SAN JUAN, UTAH |
|-----|---|--|--|
| 12. | CHECK APPROPRIATE BOX(| s) TO INDICATE NATURE OF NOTICE | E, REPORT, OR OTHER DATA |
| | TYPE OF SUBMISSION | TYPE O | FACTION |
| | Notice of Intent Subsequent Report Final Abandonment Notice | Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |

- 3-30-92 DRILL CMT 631' TO 803' CIRC. CLEAN. TEST CSG SZ TO 1000#/30 MIN/HELD/OK.
- 3-31-92 RAN TEMP LOG 3500' TO SURF. CMT TOP 400' FROM SURF. CIRC. SAND OFF RBP. RET RBP.
- 4-02-92 RAN TEMP SURVEY FOR EPA 3500' TO SURF. WAIT ON EPA TO READ LOGS AND GIVE APPROVAL TO RUN PROD. RIH W/2 7/8 CMT LINED TBG.
- 4-03-92 PKR SET @ 5156'. CIRC PKR FLUID. TEST CSG TO 1000#/OK.
- 4-04-92 EPA MIT ON CSG 1000#/30 MIN. RD & REL RIG.

| ereby certify that the foregoing is true and correct and SHIRLEY TODD | Title ENV. & REG. TECHNICIAN | Date 4-9-92 |
|---|------------------------------|-------------|
| is space for Federal or State office use) | | |
| proved by | Title | Date |

^{13.} Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

³⁻²⁵⁻⁹² MIRU. NU TEST BOP.

³⁻²⁷⁻⁹² POOH W/TBG. RIH W/RBP @5100' TEST TO 1000#. FOUND LEAK @780'.

³⁻²⁹⁻⁹² RAN TEMP LONG 3500' TO SURF - EPA REGULATION. RIH W/ TENSION PKR. ON 2 7/8 TBG TO 814' & SPOT W/ 2SX SAND. POOH W/PKR TO 689'. SQZ LEAK IN 5 1/2 CSG @ 763' W/200SX G+2% CACL. UNSET PKR TO 500' REV CIRC.

1. Type of Well Oil

Gas

X

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No. 14-20-603-370

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

MCELMO CREEK UNIT

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

NAVAJO TRIBAL

| Unit Well X Other INJECTION 2. Name of Operator | 8. Well Name and No. T-23 | |
|--|--|--|
| MOBIL OIL CORPORATION | | 9. API Well No. |
| 3. Address and Telephone No. | (015) 699 2595 | 43-037-16352 |
| P O BOX 633 MIDLAND, TX 79702 | (915) 688–2585 | 10. Field and Pool, or Exploratory Area GREATER ANETH |
| 1980' FSL 660 FWL SEC 13, T41S, | 826E २५६ | 11. County or Parish, State SAN JUAN, UTAH |
| 12. CHECK APPROPRIATE BOX | s) TO INDICATE NATURE OF NOTICE, REPO | <u> </u> |
| OTTEGRATITION THATE BOX | | |
| TYPE OF SUBMISSION | TYPE OF ACTION | N |
| Notice of Intent | Abandonment | Change of Plans |
| X Subsequent Report | Recompletion Plugging Back | New Construction Non-Routine Fracturing |
| Final Abandonment Notice | Casing Repair Altering Casing Other RESET PACKER | Water Shut-Off Conversion to Injection Dispose Water |
| | | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-02-92 MIRU TEST TBG TO 2300 PSI. SMALL DROP IN PRESS. TEST CSG TO 2300 PSI/OK.

10-03-92 SNUB STACK & EQUIP.

10-05-92 REL PKR. ANNULAR PRESS IS 1250 PSI.

10-06-92 RIH W/5 1/2 INVERTED LOK-SET PKR.

10-07-92 RIH W/2 7/8 TBG. SET PKR @ 5102' RDMO.



OCT 2 2 1992

DIVISION OF OIL GAS & MINING

| gned Shulay Odol SHIRLEY TODD | Title ENV. & REG. TECHNICIAN | Date 10-19-92 |
|--|------------------------------|---------------|
| his space for Federal or State office use) | | |
| pproved byonditions of approval, if any: | Title | Date |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent a or representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No. 14-20-603-370

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

NAVAJO TRIBAL

| SUBMIT | 7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT | |
|--|---|--|
| 1. Type of Well Oil Well Well X Other INJECTION V 2. Name of Operator | 8. Well Name and No. | |
| MOBIL OIL CORPORATION | 9. API Well No. 43-037-16353 10. Field and Pool, or Exploratory Area | |
| 3. Address and Telephone No. P O BOX 633 MIDLAND, TX 79702 | | |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey D 1980 FSL, 660 FEL SEC.13, T41S, | (915) 688-2585 | GREATER ANETH |
| | 11. County or Parish, State SAN JUAN, UT | |
| 12. CHECK APPROPRIATE BOX(| s) TO INDICATE NATURE OF NOTICE, REPO | RT, OR OTHER DATA |
| TYPE OF SUBMISSION | TYPE OF ACTION | |
| X Notice of Intent | Abandonment Recompletion | Change of Plans New Construction |
| Subsequent Report | Plugging Back Casing Repair | Non-Routine Fracturing Water Shut-Off |
| Final Abandonment Notice | Altering Casing Other WORKOVER | Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHMENT




DIVISION OF OIL GAS & MINING


| Soft faction | | | | | | |
|---|------------------------------|---------------|--|--|--|--|
| 14. I hereby certify that the foregoing is true and correct | | | | | | |
| Signed Thirty older SHIRLEY TODD | Title ENV. & REG. TECHNICIAN | Date 02-07-94 | | | | |
| (This space for Federal or State office use) | | | | | | |
| Approved by | Title | Date | | | | |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudules statements or representations as to any matter within its jurisdiction.

McElmo Creek Unit I-23 Workover Procedure

- 1. Dig. line and fence a 100+ bbl earth pit or MI 100+ bbl flat bottom open top tank with gas vent line. MIRU coiled tubing unit with 1-1/4" coiled tubing. MI Standby Safety Services (303/565-6391) having 5 Scott 30 minute airpacks. five minute escape packs for all coiled tubing/acid stimulation crew, personal H2S monitors for all personnel on location, and one safety man. Acid stimulation company to provide eye wash station. Hook up coiled tubing injection pump to water injection line. Lay flow line from wing valve to a choke manifold having two adjustable chokes. Lay flowline from choke manifold to earth pit or flat bottom tank. Stake and chain flowline down. PT coiled tubing to 6000 psi using injection water.
- 2. RIH with 1-1/4" coiled tubing with perforation wash nozzle and CO to PBTD at 5418' using injection water at maximum circulating rate at maximum circulating pressure of 5000 psi. Spot 5 bbls of xylene across perforations. POH. If unable to CO fill using injection water, attempt to clean out fill using 10 bbl of 15 percent HCL acid containing 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals fron sequestering agent, neutralizing any unspent acid that returns to pit. If unsuccessful in cleaning well out, POH, RIH with 1-3/4" dynadrill on 1-1/4" coiled tubing and drill out fill. POH.
- 3. MIRU wireline unit with lubricator. RIH with 1-11/16" GR/CCL and log from PBTD through injection packer. POH. Turn off all radios/cellular telephones on location and post warning signs for radio/cellular telephone silence at all roads within 100 yards of location. RIH with 1-11/16" magnetically decentralized hollow steel carrier perforating guns loaded with 3.2 gram RDX charges at 4 SPF, 0 degree phasing and perforate 5238'-5265', 5308'- 5359', and 5365'-5385'. POH. RDMO wireline.
- 4. RU coiled tubing. Pickle coiled tubing with 3 bbls of 15 percent HCL acid, reverse out to pit or tank and neutralize. RIH with 1-1/4" coiled tubing with perforation wash nozzle. Displace xviene with fresh water. Wash perforations shot in previous step without taking returns using 2 bbls/ft of 15 percent HCL acid. NOTE: All acid pumped into well to contain 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent. Pump rate should be maximum injection rate at 5000 psi surface injection pressure. Overdisplace acid using fresh water. POH. RDMO coiled tubing unit and all surface equipment.
- 5. Pump out tank or pit and backfill as necessary. Turn well over to production leaving well shut in.





UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

| FORM APPROVED | | | | | |
|---------------|---------|----------|----|--|--|
| Budget Bure | au No. | 1004-01 | 35 | | |
| Expires: | March 3 | 31. 1993 | | | |

BUREAU OF LAND MANAGEMENT

5. Lease Designation and Serial No.
14-20-603-370

| | 14-20-003-370 | |
|----|------------------------|------------|
| 6. | If Indian, Allottee or | Tribe Name |

7. If Unit or CA, Agreement Designation

NAVAJO TRIBAL

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

| SUBMIT | MCELMO CREEK UNIT | | |
|--|---|---|--|
| 1. Type of Well Oil Well Well Other 2. Name of Operator MOBIL EXPLORATION & PRODUCING US, | 8. Well Name and No. MCELMO CREEK UN I-23 9. API Well No. | | |
| 3. Address and Telephone No. P. O. BOX 633, MIDLAND, TX 79702 | 43-037-16352 10. Field and Pool, or exploratory Area | | |
| Location of Well (Footage, Sec., T., R., M., or Survey Der 1980' FSL, 660' FEL; SEC 13, T41S, R24E | scription) | GREATER ANETH 11. County or Parish, State | |
| | | SAN JUAN UT | |
| 12. CHECK APPROPRIATE BOX(s) | TO INDICATE NATURE OF NOTICE, REPORT | r, or other data | |
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| Notice of Intent | Abandonment | Change of Plans | |
| X Subsequent Report Final Abandonment Notice | Recompletion Plugging Back Casing Repair Altering Casing Other ACIDIZE | New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water | |
| | l pertinent details, and give pertinent dates, including estimated date of startical depths for all markers and zones pertinent to this work.)* | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Los form.) ting any proposed work. If well is directionally drille | |

04/28/94 MIRU CUDD CTU. PRESS TEST TO 5000#. SPOT 5 BBLS XYLENE ACROSS PERFS, WAIT 1 HR. ACIDIZE PERFS W/196 BBLS 15% ACID AND OVERFLUSH W/50 BBLS WATER. RDMO. RETURN WELL TO INJECTION.

| 14. I hereby earlify that the folgoing is true and correct Signed | Tide ENV. & REG. TECHNICIAN | Date 05/09/94 |
|--|--|-----------------|
| (This space for Federal or State office use) Approved by Conditions of approval, if any: | Title | Date tax credit |
| | owinsh, and willfully to make to any department or agency of the U | 8 8 44 |

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

| | Well File | $_$ (Return Date) $_$ | XXX) Other OPER NM CRG | | | | | |
|----|--|--------------------------|------------------------|--|--|--|--|--|
| | (Location) SecTwpRng_ (API No.) | (To - Initials) _ | | | | | | |
| 1. | Date of Phone Call: 8-3-9. | 5 Time: | | | | | | |
| 2. | DOGM Employee (name)L Talked to: | . CORDOVA | (Initiated Call []) | | | | | |
| - | Name R. J. FIRTH of (Company/Organization) | | | | | | | |
| 3. | Topic of Conversation: MEPNA/N7370 | | | | | | | |
| | | | 2 | | | | | |
| | | | | | | | | |
| 4. | Highlights of Conversation: | | | | | | | |
| | OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT | | | | | | | |
| | THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC. | | | | | | | |
| | *SUPERIOR OIL COMPANY MERGED | INTO M E P N A 4-24-86 (| (SEE ATTACHED). | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | · | | | | | |

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

STATE OF UTAH INVENTORY OF INJECTION WELLS

| | ATOR | API NO. | WELL ***** | TNS | RGE *** | SE ** | WELLTYPE | INDIAN COUNT |
|----------------|--------|------------------------------|---------------|-----|------------|----------|----------|--------------|
| MEPNA | | 43-037-15617 | F-11 | 40S | 24E | 36 | | Y |
| , | (MOBIL | | | | | | INJW | |
| MEPNA | (MOBIL | 43-037-16350 | H-11 | 40S | 24E | 36 36 | INJW | Y Y |
| MEPNA | (MOBIL | 43-037-15618 | G-12 | 40S | 24E | | INJI | |
| MEPNA | (MOBIL | 43-037-15619 | I-12 | 40S | 24E | 36 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16377 | T-8 | 40S | 25E | 28 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16366 | P-7 | 40S | 25E | 29 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16362 | N-7 | 40S | 25E | 29 | INJW | Y |
| MEPNA MEPNA | (MOBIL | 43-037-15961 | M-10 L-9 | 40S | 25E | 31 31 | INJW | Y Y |
| MEPNA MEPNA | (MOBIL | 43-037-16359 43-037-15955 | | 40S | 25E | 31 | INJW | Y |
| 2.5 | (MOBIL | 43-037-15353 | K-12 | 40S | 25E | | INJW | |
| MEPNA | (MOBIL | | J-11 | 40S | 25E | 31 | INJW | Y |
| ✓ MEPNA | (MOBIL | 43-037-15958 | L-11 | 40S | 25E | 31 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15962 | M-12 | 40S | 25E | 31 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16367 | P-9 | 40S | 25E | 32 | INJW | Y |
| MEPNA | (MOBIL | 43-037-31677 | Q12A | 40S | 25E | 32 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15968 | 0-12 | 40S | 25E | 32 | INJW ' | Y |
| MEPNA | (MOBIL | 43-037-15971 | P-11 | 40S | 25E | 32 | INJW | Y |
| ✓ MEPNA | (MOBIL | 43-037-15965 | N-11 | 40S | 25E | 32 | INJW | Y |
| • MEPNA | (MOBIL | 43-037-15967 | 0-10 | 40S | 25E | 32 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15964 | N-9 | 40S | 25E | 32 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15973 | Q-10 | 40S | 25E | 32 | INJW | Y |
| MEPNA | (MOBIL | 43-037-30080 | T-09A | 40S | 25E | 33 | WLNI | Y |
| ∨MEPNA | (MOBIL | 43-037-16155 | U-12 | 40S | 25E | 33 | WLNI | Y |
| √MEPNA | (MOBIL | 43-037-16375 | S-10 | 40S | 25E | 33 | WLNI | Y |
| MEPNA | (MOBIL | 43-037-30179 | R-11A | 40S | 25E | 33 | INJI | Y |
| MEPNA | (MOBIL | 43-037-16381 | U-10 | 40S | 25E | 33 | WLNI | Y |
| MEPNA | (MOBIL | 43-037-16147 | R-09 | 40S | 25E | 33 | INJI | Y |
| MEPNA | (MOBIL | 43-037-16150 | S-12 | 40S | 25E | 33 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16351 | H-13 | 41S | 24E | 1 | WLNI | Y |
| MEPNA | (MOBIL | 43-037-16144 | G-16 | 41S | 24E | 1 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16345 | F-13 | 41S | 24E | 1 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16143 | G-14 | 41S | 24E | 1 | INJW | Y |
| ✓MEPNA | (MOBIL | 43-037-15495 | H-15 | 41S | 24E | 1 | INJI | Y |
| √MEPNA | (MOBIL | 43-037-15497 | I-16 | 41S | 24E | 1 | INJW | Y |
| ~ MEPNA | (MOBIL | 43-037-31149 | F-15A | 41S | 24E | 1 | INJI | Y |
| MEPNA | (MOBIL | 43-037-16267 | D-13 | 41S | 24E | 2 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16268 | E-14 | 41S | 24E | 2 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16341 | D-15 | 41S | 24E | 2 | INJW | Y |
| √MEPNA | (MOBIL | 43-037-16340 | B-15 | 41S | 24E | 2 | INJW | Y |
| ✓ MEPNA | (MOBIL | 43-037-15616 | E-16 | 41S | 24E | 2 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16265 | C-14 | 41S | 24E | 2 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16338 | A-17 | 41S | 24E | 10 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15704 | D-17 | 41S | 24E | 11 | INJW | Y |
| MEPNA | (MOBIL | 43-037-16342 | E-19 | 41S | 24E | 11 | INJW | Y |
| MEPNA | MOBIL | 43-037-15702 | C-18 | 41S | 24E | 11 | INJI | Y |
| MEPNA | (MOBIL | 43-037-15496 | H-17 | 41S | 24E | 12 | INJI | Y |
| MEPNA | (MOBIL | 43-037-16346 | G-19 | 41S | 24E | 12 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15709 | I-18 | 41S | 24E | 12 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15710 | I-20 | 41S | 24E | 12 | INJW | Y |
| MEPNA | MOBIL | 43-037-15493 | F-17 | 41S | 24E | 12 | INJW | Y |
| MEPNA | (MOBIL | 43-037-15494 | G-18 | 41S | 24E | 12 | INJI | Y |
| MEPNA | (MOBIL | 43-037-16352 | I-23 | 41S | 24E | 13 | INJI | Ÿ |
| | (MOBIL | 43-037-16348 | G-23 | 41S | 24E | 13 | INJW | Ÿ |
| | , | | = | | | | - ** | |

| | on of Oil, Gas and Mining FOR CHANGE WORKSHEET | | | | Routing: |
|---|---|---|--------------------------------------|--|--|
| | all documentation received by the division regarding each listed item when completed. Write N/A if item | | ole. | | 2-LWP 8-SJ 3-PT2 9-FILE 4-VLC |
| | nge of Operator (well sold) ignation of Operator Des XXX Ope | ignation of <i>i</i> rator Name Cl | Agent hange Only | | 5-RJF 6-LWP |
| The of | perator of the well(s) listed below has cha | anged (EFFECT | IVE DATE: | 8-2-95 |) |
| TO (ne | ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370 | FROM (former | | M E P N A C/O MOBIL O PO DRAWER G CORTEZ CO phone (303 account no. | 81321 >564-5212 |
| Hell(s |) (attach additional page if needed): | | | | |
| Name: Name: Name: Name: | ** SEE ATTACHED ** API: 037-16352 En API: En | tity: tity: tity: tity: tity: | SecTwp SecTwp SecTwp SecTwp | 0 | ease Type: ease Type: ease Type: ease Type: ease Type: |
| <u>N/A</u> 2. | (Rule R615-8-10) Sundry or other <u>legal</u> operator (Attach to this form). (Rule R615-8-10) Sundry or other <u>legal</u> do (Attach to this form). The Department of Commerce has been conta | ocumentation | has been | received fro | om <u>new</u> operator |
| <u>, , , , , , , , , , , , , , , , , , , </u> | operating any wells in Utah. Is company yes, show company file number: | registered | with the | state? (yes | /no) If |
| NA 4. | (For Indian and Federal Hells ONLY) The (attach Telephone Documentation Form to comments section of this form. Manageme changes should take place prior to complete | this repor | rt). Make f Federal | e note of and Indian | BLM status in well operator |
| | Changes should take place prior to complete Changes have been entered in the Oil and listed above. $(8-3-95)$ | | | | for each well |
| EW 6. | Cardex file has been updated for each well | l listed abov | re. 8-31-9. | ~ | |
| | Well file labels have been updated for each | | | | |
| | Changes have been included on the monthly for distribution to State Lands and the Ta | ax Commission | I. <i>(8395)</i> | | |
| Liles. | A folder has been set up for the Operator placed there for reference during routing | Change file | e, and a c | opy of this | page has been |

| OPERATOR | R CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable. |
|----------|--|
| ENTITY | REVIEH |
| Lec 1. | (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form). |
| N/A 2. | State Lands and the Tax Commission have been notified through normal procedures of entity changes. |
| BOND VI | ERIFICATION (Fee wells only) & No Fee Lesse Wells at this fine! |
| NA/1. | (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. |
| 2. | A copy of this form has been placed in the new and former operators' bond files. |
| 3. | The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19 |
| LEASE I | INTEREST OHNER NOTIFICATION RESPONSIBILITY |
| , v-5 | (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. |
| _ | Copies of documents have been sent to State Lands for changes involving State leases. |
| FILMING | |
| 1. | All attachments to this form have been microfilmed. Date: October 6 1995. |
| FILING | |
| 1. | Copies of all attachments to this form have been filed in each well file. |
| | The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file. |
| COMMENT | |
| 95080 | 03 WIC F5/Not necessary! |
| | |
| | |
| · | |
| | |

WE71/34-35

(This space for Federal or State office use)

Conditions of approval, if any:

Approved by

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

14-20-603-370

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

6. If Indian, Allottee or Tribe Name

| Use "APPLICATION FOR | NAVAJO TRIBAL | |
|--|--|--|
| SUBMIT | 7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT | |
| 1. Type of Well Oil Well Oil Well Address and Telephone No. P.O. Box 633, Midland TX 79702 4. Location of Well (Footage, Sec., T., R., M., or Survey De (NE/SE)SEC.13, T415, 24E 1980' FSL & 660' FEL | 8. Well Name and No. MCELMO CREEK UNIT I-23 9. API Well No. 43-037-16352 10. Field and Pool, or exploratory Area GREATER ANETH 11. County or Parish, State SAN JUAN UT | |
| 12. CHECK APPROPRIATE BOX(s |) TO INDICATE NATURE OF NOTICE, REPO | |
| TYPE OF SUBMISSION | TYPE OF ACT | |
| Notice of Intent X Subsequent Report Final Abandonment Notice 3. Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertices and the subsurface locations and measured and true vertices are considered by the subsurface locations and measured and true vertices are considered by the subsurface locations and measured and true vertices are considered by the subsurface locations and measured and true vertices are considered by the subsurface locations and measured and true vertices are considered by the subsurface locations | Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other MIT & CHART Pertinent details, and give pertinent dates, including estimated date of ical depths for all markers and zones pertinent to this work.) | Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) of starting any proposed work. If well is directionally drilled, |
| | DI | JAN 28 1999 V. OF OIL, GAS & MINING |


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


Title

Title SHIRLEY HOUCHINS, ENV. & REG. TECH

ANNULAR PRESSURE TEST (Mechanical Integrity Test)

| Operator Mobil E. & P., I | nc Date of | Test |
|---|---------------------------------------|----------------------------------|
| Well Name RU 1-23 | EPA Pe | rmit No. |
| Location Sec. 3, T41S-R | 23E Tribal I | ease No. 1420603370 |
| State and County San Juan C | ounty, UT | |
| Continuous Recorder? YES | | YES NO D |
| Bradenhead Opened? YES | NO Fluid Flow? YES | S O NO O |
| <u>TIME</u> | ANNULUS PRESSURE, psi | TUBING PRESSURE, psi |
| 1:41 PM | 1079 1105 | 2749 |
| 1:46 Pm | 1075 / 1100 | 2749. |
| 1.51 Pm | 1075 1100 | 2749 |
| 1:5Lapm | 1075 1100 | 2749 |
| 2:01 PM | 1075 1100 | 2749 |
| 2:06 Pm | 1070 1100 | 2749 |
| 2:11 | 1070 1100 | 2749 |
| | 0050 | |
| MAX. INJECTION PRESSURE MAX. ALLOWABLE PRESSU | re change: <u>55.25</u> p | SI (TEST PRESSURE X 0.05) |
| REMARKS: Passed? Failed? | If failed, cease injection until well | passes MIT (40CFR§144.21(c)(6)). |
| PASSED MIT. | | |
| PDED 11/11. | | MECEIVEM |
| | | |
| | | [44] |
| | | DIV. OF OIL, GAS & MINING |
| TYAN BENYLLY | | |
| COMPANY REPRESENTATIV | E: (Print and Sign) | DATE |
| Helvin Capitan Jr. | Jelinak Clak | 129.0% |
| INSPECTOR: (Print and Si | gn) | DATE |





ExxonMobil Production Comp

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

OIL 6 TO THE STATE



United States Department of the Interior

BUREAU OF INDIANAFFAURS NAVATORECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

RRES/543

AUG 3 0 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

| The same property of the same and the same a |
|--|
| MEREGAL BESOURCES |
| ADM 1 45/MC |
| MATV AM MEN GOODED |
| SOLID NON TRAM |
| PETRO MORT ISAM Z |
| O&G (NOTHER) YEAM |
| ALL TEAM LEADERS |
| LAND RESOURCES |
| ENVIRONMENT |
| FILES |
| |

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

10bil 1/2/2011 1/100/ 59/3

ExonMobil
Production



Change of Name ~
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

| ^ | _ | - 4 | • - | | _ | | |
|----|---|-------|-----|-----|---|-----|---|
| ſä | o | nт | le | m | Δ | n | • |
| u | C | I D L | | 111 | G | 3 1 | |

| The account of the | the set of | | |
|--------------------|--|---|------|
| Corporation). | ting of officers and director o | Of ExxonMobil Oil Corporation (Nam | e of |
| | | (State) is as follows: | |
| | | OFFICERS | |
| President | F.A. Risch | Address 5959 Las Colinas Blvd. Irving, TX 75 | 039 |
| Vice President | K.T. Koonce | Address 800 Bell Street Houston, TX 77002 | |
| Secretary | F.L. Reid | Address 5959 Las Colinas Blvd, Irving, TX 75 | 039 |
| Treasure | B.A. Maher | | |
| | | DIRECTORS . | |
| Name D.D. Hu | mphreys | Address 5959 Las Colinas Blvd. Irving, TX 75039 | |
| | | Address 5959 Las Colinas Blvd. Irving, TX 75039 | |
| | | Address 5959 Las Colinas Blvd. Irving, TX 75039 | |
| | | Address 5959 Las Colinas Blvd. Irving, TX 75039 | |
| Name F.A. Ri | sch | Address 5959 Las Colinas Blvd. Irving, TX 75039 | |
| | | Singerely, Warrea Alex Correa | |
| and in t | ect as evidenced by the reco he custody of <u>Corporation</u> Ser | pertaining to ExxonMobil Oil Corporation (Corporation ords and accounts covering business for the State of Utal ordice Company (Agent), Phone: 1 (800)927-9800 201 South Main Street, Salt Lake City, Utah 84111-2218 | , |
| (CORPORATES | EAL | Signature AGENT AND ATTERNEY IN FACT Title | |

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation".

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. a. Millian
Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Ganice M. Philo.

Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

in 10: VA. C. 10: Shuth, Suite 1900, Mouston, Texas, 77027-3301 Primer (10:3) 227-4600 r Fensing #1 (713) 297-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York Know All by These Presents, The Pederol Insurance Company, all Indiana Company, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May 2001.

Kenneth C. Wendel, Assistant Secreta STATE OF NEW JERSEY

County of Somersel

On this 10th day of May, 2001 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDENNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by the duty sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDENNITY COMPANY and knows the corporate seals that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he is accurated with Frank E. Robertson, and knows him to be that the seats an action to the property of enterney are such corporate seats and were thereto antitied by authority of the by-Laws of said Companies; and that he is acquainted with Frank E. Robertson, and knows him to be Robertson of Said Companies; and that he signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed by authority of said Knows and Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Octave 2004 TON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by faceimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such fecsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerlo Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June,







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

oř.

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The comparate name of said Company shall be, Examinobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares cutitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



csc_, csc

---;

5184334741

-06/01 01 09:01 NO. 411 02/02 -01060100187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

(Name)

FILED JUN 0 1 2001

TAX\$_

5959 Les Colines Blvd (Malling address)

Irving, TX 75039-2298

(City, State and Zip code)

ny alle

Cust Ry# 16557817PJ

O G G I V G

010601000/95

,TEL=5184334741

06/01/01 08:19

=> CSC

State of New York }
Department of State }
ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

| ROUTING | | | | | | | |
|---------|--|--|--|--|--|--|--|
| 1. GLH | | | | | | | |
| 2. CDW | | | | | | | |
| 3. FILE | | | | | | | |

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

X Operator Name Change

Merger

| The operator of the well(s) listed below has changed, | effective: | 06-01-2001 | | | | | | | | |
|--|----------------------|----------------|------------|------------|------|----------|--|--|--|--|
| FROM: (Old Operator): | TO: (New Operator): | | | | | | | | | |
| MOBIL EXPLORATION & PRODUCTION | 1 | EXXONMOBI | L OIL COP | RPORATION | 1 | | | | | |
| Address: P O BOX DRAWER "G" |] | Address: USV | VEST P O I | 3OX 4358 | | | | | | |
| | | | | | | | | | | |
| CORTEZ, CO 81321 | | HOUSTON, T | | 58 | | | | | | |
| Phone: 1-(970)-564-5212 | | Phone: 1-(713) | | | | | | | | |
| Account No. N7370 | | Account No. | N1855 | | | | | | | |
| CA No. | • | Unit: | MCELMO | O CREEK | | | | | | |
| WELL(S) | | | | | | | | | | |
| | SEC TWN | API NO | ENTITY | LEASE | WELL | WELL | | | | |
| NAME | RNG | | NO | TYPE | TYPE | STATUS | | | | |
| NAVAJO 2-D (MCELMO A-17) | | 43-037-16338 | | INDIAN | WI | A | | | | |
| MCELMO CR C-18 | | 43-037-15702 | | INDIAN | WI | A | | | | |
| NAVAJO H-2 (MCELMO D-17) | 11-41S-24E | 43-037-15704 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO D-2 (MCELMO E-19) | 11-41S-24E | 43-037-16342 | 99990 | INDIAN | WI | A | | | | |
| MCELMO CR G-18 | 12-41S-24E | 43-037-15494 | 5980 | INDIAN | WI | A | | | | |
| MCELMO CREEK I-18 | 12-41S-24E | 43-037-15709 | 5980 | INDIAN | WI | A | | | | |
| MCELMO CREEK I-20 | 12-41S-24E | 43-037-15710 | 5980 | INDIAN | WI | A | | | | |
| NAVAJO TRACT 13-4 (MCELMO F-17) | 12-41S-24E | 43-037-15493 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO TRACT 13-3 (MCELMO H-17) | 12-41S-24E | 43-037-15496 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO J-2 (MCELMO G-19) | 12-41S-24E | 43-037-16346 | 99990 | INDIAN | WI | Α | | | | |
| NAVAJO E 23-13 (MCELMO G-23) | | 43-037-16348 | | INDIAN | WI | A | | | | |
| MCELMO CREEK UNIT I-23 | | 43-037-16352 | | INDIAN | WI | A | | | | |
| MCELMO CR G-21A | 13-41S-24E | 43-037-30974 | 5980 | INDIAN | WI | A | | | | |
| NAVAJO E 41-14 (MCELMO E-21) | 14-41S-24E | 43-037-16343 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO E 43-14 (MCELMO E-23) | 14-41S-24E | 43-037-16344 | 99990 | INDIAN | WI | Α | | | | |
| MCELMO CREEK G-25 | 24-41S-24E | 43-037-16349 | 99996 | INDIAN | WI | A | | | | |
| MCELMO CREEK U I-25 | 24-41S-24E | 43-037-16353 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO P-12 (MCELMO V-13) | 03-41S-25E | 43-037-16383 | 99990 | INDIAN | WI | A | | | | |
| NAVAJO P-10 (MCELMO V-15) | 03-41S-25E | 43-037-16384 | 99990 | INDIAN | WI | A | | | | |
| MCELMO CREEK S-14 | 04-41S-25E | 43-037-16151 | 5980 | INDIAN | WI | A | | | | |
| OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001 | | | | | | | | | | |
| 2. (R649-8-10) Sundry or legal documentation was received | | | 06/29/200 | - | | 04/00/20 | | | | |
| 3. The new company has been checked through the Depart n | | | | | | 04/09/20 | | | | |
| 4. Is the new operator registered in the State of Utah: | YES | _Business Numl | per: | 579865-014 | 13 | | | | | |

N/A

| 6. | Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01 |
|-----------------------------|--|
| 7. | Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001 |
| 8. | Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: N/A |
| 9. | Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 04/16/2002 NOTE: EPA ISSUES UIC PERMITS |
| $\overline{\mathbf{D}}_{A}$ | ATA ENTRY: |
| 1. | Changes entered in the Oil and Gas Database on: 04/16/2002 |
| 2. | Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/16/2002 |
| 3. | Bond information entered in RBDMS on: N/A |
| 4. | Fee wells attached to bond in RBDMS on: N/A |
| SI | TATE WELL(S) BOND VERIFICATION: |
| 1. | State well(s) covered by Bond Number: N/A |
| FI | EDERAL WELL(S) BOND VERIFICATION: |
| 1. | Federal well(s) covered by Bond Number: N/A |
| IN | DIAN WELL(S) BOND VERIFICATION: |
| 1. | Indian well(s) covered by Bond Number: 80273197 |
| F | EE WELL(S) BOND VERIFICATION: |
| 1. | (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A |
| 2. | The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A |
| | CASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A |
| C | DMMENTS: |
| _ | |
| _ | |
| | |
| | |

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

| ROUTING | | | | | | |
|---------|-----|---|--|--|--|--|
| 1. | DJJ | 1 | | | | |
| 2. | CDW | | | | | |

X Change of Operator (Well Sold)

Operator Name Change/Merger

| The operator of the well(s) listed below has changed, effective: | | 6/1/2006 | |
|--|-----------------------------|---|---------------|
| FROM: (Old Operator): | TO: (New Operator): | | |
| N1855-ExxonMobil Oil Corporation | N2700-Resolute Natura | al Resources Company | |
| PO Box 4358 | 1675 Broadway | | 3 |
| Houston, TX 77210-4358 | Denver, CO 802 | 202 | |
| Phone: 1 (281) 654-1936 | Phone: 1 (303) 534-460 | | |
| CA No. | Unit: | MC ELMO (UIC) | |
| | | | |
| OPERATOR CHANGES DOCUMENTATION | | | |
| Enter date after each listed item is completed | EODMED amagatag an | a: 4/21/2006 | |
| 1. (R649-8-10) Sundry or legal documentation was received from the | | 4/21/2006 | |
| 2. (R649-8-10) Sundry or legal documentation was received from the | | | (/7/2006 |
| 3. The new company was checked on the Department of Commerce | | | 6/7/2006 |
| | Business Number: | 5733505-0143 | |
| 5. If NO , the operator was contacted contacted on: | | | |
| 6a. (R649-9-2)Waste Management Plan has been received on: | requested | | |
| 6b. Inspections of LA PA state/fee well sites complete on: | n/a | | |
| 6c. Reports current for Production/Disposition & Sundries on: | ok | | |
| 7. Federal and Indian Lease Wells: The BLM and or the I | BIA has approved th | e merger, name change |) , |
| or operator change for all wells listed on Federal or Indian leases of | on: BLN | <u>M</u> n∕a <u>BIA</u> | not yet |
| 8. Federal and Indian Units: | | | |
| The BLM or BIA has approved the successor of unit operator fo | r wells listed on: | not yet | |
| 9. Federal and Indian Communization Agreements (" | CA"): | | |
| The BLM or BIA has approved the operator for all wells listed v | vithin a CA on: | n/a | |
| 10. Underground Injection Control ("UIC") The D | ivision has approved UI | C Form 5, Transfer of Aut | hority to |
| Inject, for the enhanced/secondary recovery unit/project for the w | ater disposal well(s) liste | ed on: 6/12/2006 | |
| DATA ENTRY: | | | |
| 1. Changes entered in the Oil and Gas Database on: | 6/22/2006 | | |
| 2. Changes have been entered on the Monthly Operator Change Sp | oread Sheet on: | 6/22/2006 | |
| 3. Bond information entered in RBDMS on: | <u>n/a</u> | | |
| 4. Fee/State wells attached to bond in RBDMS on: | <u>n/a</u> | | |
| 5. Injection Projects to new operator in RBDMS on: | 6/22/2006 | | |
| 6. Receipt of Acceptance of Drilling Procedures for APD/New on: | n/a | - N - N - N - N - N - N - N - N - N - N | - 100 Marie 1 |
| BOND VERIFICATION: | | | |
| 1. Federal well(s) covered by Bond Number: | <u>n/a</u> | | |
| 2. Indian well(s) covered by Bond Number: | PA002769 | n/a | |
| 3. (R649-3-1) The NEW operator of any fee well(s) listed covered b | | | |
| a. The FORMER operator has requested a release of liability from the The Division sent response by letter on: | eir bond on:n/a n/a | <u></u> | |
| LEASE INTEREST OWNER NOTIFICATION: | | | |
| 4. (R649-2-10) The FORMER operator of the fee wells has been con | tacted and informed by | a letter from the Division | |
| of their responsibility to notify all interest owners of this change or | | | |
| COMMENTS: | 71.6 | | |
| | | | |

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

| TRANSFER OF AUTHORITY TO INJECT | | | | | | |
|---|-------------------|---|--|--|--|--|
| Well Name and Number See attached list | 100.00 | API Number Attached | | | | |
| Location of Well Footage: See attached list | County : San Juan | Field or Unit Name McElmo Creek Unit | | | | |
| QQ, Section, Township, Range: | State: UTAH | Lease Designation and Number See attached list | | | | |

EFFECTIVE DATE OF TRANSFER: 6/1/2006

| CURRENT OF | PERATOR | | |
|---------------|--|-----------------|--|
| Company: | Exxon Mobil Oil Corporation | Name: | |
| Address: | PO Box 4358 | Signature: | |
| | city Houston state TX zip 77210-4358 | Title: | |
| Phone: | (281) 654-1936 | Date: | |
| Comments: | Exxon Mobil has submitted a separate, signed cop | v of UIC Form 5 | |
| Gorillicitis. | Exxon Mobil has submitted a separate, signed cop | y of UIC Form 5 | |
| | | | |

| NEW OPERAT | FOR | | |
|------------|---|------------|------------------------|
| Company: | Resolute Natural Resources Company | Name: | Dwight E Mallory |
| Address: | 1675 Broadway, Suite 1950 | Signature: | Ju Elly |
| | city Denver state CO zip 80202 | Title: | Regulatory Coordinator |
| Phone: | (303) 534-4600 | Date: | 4/20/2006 |
| Comments: | A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252 | | |

(This space for State use only)

Transfer approved by:

Approval Date: <u>b/12/06</u>

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

| | 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list | | | |
|--|---|--------------------------------|---|--|
| SUNDR | Y NOTICES AND REPORT | S ON WELI | _S | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe |
| Do not use this form for proposals to drill | I new wells, significantly deepen existing wells below a laterals, Use APPLICATION FOR PERMIT TO DRILL | current bottom-hole depth | ı, reenter plugged wells, or to | 7. UNIT OF CA AGREEMENT NAME: McElmo Creek Unit |
| 1. TYPE OF WELL OIL WELL | | Unit Agreeme | | 8. WELL NAME and NUMBER: See attached list |
| 2. NAME OF OPERATOR: | ces Company N2700 | | 45.00 | 9. API NUMBER: |
| Resolute Natural Resour | ces Company /4 / 100 | | PHONE NUMBER: | Attached 10. FIELD AND POOL, OR WILDCAT: |
| 1675 Broadway, Suite 1950 | TY Denver STATE CO ZI | | (303) 534-4600 | Greater Aneth |
| 4. LOCATION OF WELL | | | - 10 - 3.12.153745514 | Amala P. S. S. |
| FOOTAGES AT SURFACE: See a | inacien iist | | | COUNTY: San Juan |
| QTR/QTR, SECTION, TOWNSHIP, RA | NGE, MERIDIAN: | | | STATE: UTAH |
| 11. CHECK APP | PROPRIATE BOXES TO INDICA | TE NATURE C | F NOTICE, REPO | RT, OR OTHER DATA |
| TYPE OF SUBMISSION | | TY | PE OF ACTION | |
| NOTICE OF INTENT | ACIDIZE | DEEPEN | *** | REPERFORATE CURRENT FORMATION |
| (Submit in Duplicate) | ALTER CASING | FRACTURE T | | SIDETRACK TO REPAIR WELL |
| Approximate date work will start: | CASING REPAIR CHANGE TO PREVIOUS PLANS | NEW CONST | | TEMPORARILY ABANDON |
| 8 | CHANGE TUBING | OPERATOR (| | U TUBING REPAIR VENT OR FLARE |
| SUBSEQUENT REPORT | CHANGE WELL NAME | PLUG BACK | | WATER DISPOSAL |
| (Submit Original Form Only) | CHANGE WELL STATUS | PRODUCTION | (START/RESUME) | WATER SHUT-OFF |
| Date of work completion: | COMMINGLE PRODUCING FORMATIONS | = | N OF WELL SITE | OTHER: |
| | CONVERT WELL TYPE | RECOMPLET | E - DIFFERENT FORMATION | |
| 12. DESCRIBE PROPOSED OR C | OMPLETED OPERATIONS. Clearly show all | pertinent details incl | uding dates, depths, volume | es, etc. |
| Effective June 1, 2006 Ex Resolute Natural Resource | xxon Mobil Oil Corporation resignates Company is designated as su | ns as operator ouccessor opera | of the McElmo Cree tor of the McElmo (| k Unit. Also effective June 1, 2006 Creek Unit. |
| A list of affected producin UIC Form 5, Transfer of A | ng and water source wells is attac Authority to Inject. | ched. A separa | te of affected injecti | on wells is being submitted with |
| As of the effective date in | oond coverage for the affected we | alle will transfor | to BIA Bond # DAG | 002760 |
| As of the ellective date, b | ond coverage for the affected we | ens will transfer | to bia bond # PAC | 02769. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| NAME (PLEASE PRINT) Dwight E | Мыногу) | TITLE | Regulatory Coord | linator |
| 1 t 21 | 1/2 | 3000-000 | 4/20/2006 | |
| SIGNATURE 0.9 | \rightarrow | DATE | 4/20/2000 | · · · · · · · · · · · · · · · · · · · |
| (This space for State use only) | | | 100 | |
| APPRE | WED 6 122106 | | | DEOF |
| 111 IC | VED 6 122106 | | | RECEIVED |
| $\mathcal{C}_{\mathbf{A}}$ | L Venia KAINIOO | | | 100 0 |

(5/2000)

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

APR 2 4 2006

DIV. OF OIL, GAS & MINING

| | Di | STATE OF UTAH EPARTMENT OF NATURAL RESOL | IDOES | FORM 9 |
|---|---|---|---|--|
| | | VISION OF OIL, GAS AND M | | 5. LEASE DESIGNATION AND SERIAL NUMBER: |
| S | SUNDRY N | NOTICES AND REPORT | S ON WELLS | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock 7. UNIT OF CA AGREEMENT NAME: |
| Do not use this form for pro | oposals to drill new v drill horizontal latera | wells, significantly deepen existing wells below coals. Use APPLICATION FOR PERMIT TO DRILL | urrent bottom-hole depth, reenter plugged wells, or form for such proposals. | |
| 1. TYPE OF WELL | OIL WELL | GAS WELL OTHER | Injection | 8. WELL NAME and NUMBER: McElmo Creek |
| 2. NAME OF OPERATOR: | | 1110 | | 9. API NUMBER: |
| ExxonMobil Oil (3. ADDRESS OF OPERATO | | N 1855 | I PHONE NUMBER: | attached 10. FIELD AND POOL, OR WILDCAT: |
| P.O. Box 4358 | | Houston STATE TX Z | , 77210-4358 (281) 654-1936 | Annual Control of the |
| 4. LOCATION OF WELL FOOTAGES AT SURFAC | DE: | | CONTRACTOR OF ACCUSED | COUNTY: San Juan |
| QTR/QTR, SECTION, TO | OWNSHIP, RANGE, | MERIDIAN: | | STATE: UTAH |
| 11. CHE | CK APPRO | PRIATE BOXES TO INDICA | TE NATURE OF NOTICE, RE | PORT, OR OTHER DATA |
| TYPE OF SUBMI | SSION | | TYPE OF ACTION | |
| NOTICE OF INTE | NT [| ACIDIZE | DEEPEN | REPERFORATE CURRENT FORMATION |
| (Submit in Duplica | | ALTER CASING | FRACTURE TREAT | SIDETRACK TO REPAIR WELL |
| Approximate date wo | rk will start: | CASING REPAIR | NEW CONSTRUCTION | TEMPORARILY ABANDON |
| 6/1/2006 | ĮE | CHANGE TO PREVIOUS PLANS | ✓ OPERATOR CHANGE | TUBING REPAIR |
| | | CHANGE TUBING | PLUG AND ABANDON | VENT OR FLARE |
| SUBSEQUENT RI (Submit Original F | | CHANGE WELL NAME | PLUG BACK | WATER DISPOSAL |
| Date of work complete | . " VE | CHANGE WELL STATUS | PRODUCTION (START/RESUME) | WATER SHUT-OFF |
| Date of work complete | <u> </u> [| COMMINGLE PRODUCING FORMATIONS | RECLAMATION OF WELL SITE | OTHER: |
| | | CONVERT WELL TYPE | RECOMPLETE - DIFFERENT FORMAT | ION |
| ExxonMobil Oil (Resources Com | Corporation i pany. All ch | is transferring operatorship of | uld be made effective as of 7:0 | Creek lease to Resolute Natural |
| i i | aurie Kilhric | de | Permitting Su | nervisor |

(This space for State use only)

Eprline Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician RECEIVED APR 2 1 2006

DIV. OF OIL, GAS & MINING

4/19/2006

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

| MCELMO CREEK D15 | | | | | | | 100 | | | | | |
|--|----------------|---------|----------------|---------|-----------------|-------|--|----------|------|---------------|----------|----------------|
| MCELMO CREEK H11 | Dan Land N | | 1.5 | | And the Man | | | | | | | |
| MCELMO CREEK 112 | Reg Lease Name | Well ID | API Num | Status | Reg Lease # | Qtr 1 | Qtr 2 | Sec | TN | RNG | NS Foot | EW Foot |
| MCELMO CREEK 112 | MOEI NO OBEEK | - | | | | | | | | | | |
| MCELMO CREEK F11 4303716361800S1 Active 14-20-0603-6146 NW SW 36 40S 24E 1830FSL 0820FWL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6146 SE SW 36 40S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6147 NW SE 2 41S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK G14 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 2660FSL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2060FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2048A NW SE 2 41S 24E 2060FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2057 NW NW 33 40S 25E 2050FNL 0500FEL MCELMO CREEK G14 430371618070S1 Active 14-20-0603-2057 NW NW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161805S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 2050FNL 0625FWL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 33 40S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active 14-20-0603-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active G14-20-0603-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active G14-20-0603-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 43037161800S1 Active G14-20-0603-2057 NW SW 4 41S 25E 1050FNL 1050FNL MCELMO CREEK G14 430371635 | | | | | | _ | | _ | _ | | 1855FSL | 2100FEL |
| MCELMO CREEK D15 | MCELMO CREEK | 112 | 430371561900S1 | Active | 14-20-0603-6145 | SE | SE | 36 | 40S | 24E | 0595FSL | 0595FEL |
| MCELMO CREEK D15 | | | | | | | | | | KI . | 0 | |
| MCELMO CREEK A17 43037163400S1 Active 14-20-603-6147 NW SE 2 41S 24E 1830FSL 1 | | | | Shut-in | 14-20-0603-6146 | NW | SW | 36 | 40S | 24E | 1885FSL | 0820FWL |
| MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 415 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626300S1 Active 14-20-603-6510 SE NW 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371613700S1 Shut-in 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R114 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0650FEL MCELMO CREEK R114 430371614900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FSL 0660FWL MCELMO CREEK R13 430371614500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FNL 0610FSL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FNL 060FNL MCELMO CREEK R15 43037163600S1 Active 14-20-603-2057 NW NW 8 33 40S 2 | MCELMO CREEK | G12 | 430371561800S1 | Active | 14-20-0603-6146 | SE | SW | 36 | 40\$ | 24E | 1910FNL | 2051FWL |
| MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 415 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626300S1 Active 14-20-603-6510 SE NW 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 415 24E 2050FNL 1920FEL MCELMO CREEK E14 430371613700S1 Shut-in 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R114 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0650FEL MCELMO CREEK R114 430371614900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FSL 0660FWL MCELMO CREEK R13 430371614500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 415 25E 0660FNL 0660FNL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FNL 0610FSL MCELMO CREEK R15 43037163800S1 Active 14-20-603-2057 NW NW 8 33 40S 25E 1860FNL 060FNL MCELMO CREEK R15 43037163600S1 Active 14-20-603-2057 NW NW 8 33 40S 2 | | | | | | | 7311 | <u> </u> | | | 200 | |
| MCELMO CREEK | MCELMO CREEK | D15 | 430371634100S1 | Active | 14-20-0603-6147 | NW | SE | 2 | 41S | 24E | 1830FSL | 1830FEL |
| MCELMO CREEK C14 430371626700S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 25067NL 0500FEL MCELMO CREEK F14 43037163700S1 Shut-in 14-20-0603-6510 SE NE 2 41S 24E 25067NL 0500FEL MCELMO CREEK F18 43037163700S1 Shut-in 14-20-603-2048A SW SE 28 40S 25E 0606FSL 1980FEL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 2036FSL 0680FWL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 34 41S 25E 2036FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0680FWL MCELMO CREEK R13 43037161400S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1800FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1800FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FML 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 0506FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 33 40S 25E 0660FNL 2000FNL | | | | | | | | | | -0: | | |
| MCELMO CREEK C14 | MCELMO CREEK | A17 | 430371633800S1 | Active | 14-20-0603-6148 | NE | NE | 10 | 41S | 24E | 1270FNL | 0660FEL |
| MCELMO CREEK E14 430371626700S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL 0500FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F18 430371626800S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R19 430371614700S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW SW 44 11S 25E 1980FSL 0500FWL MCELMO CREEK R13 430371614900S1 Active 14-20-603-2057 NW SW 44 11S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S11 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1040FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1040FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1040FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 34 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2000FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 5 41S 25E 1000FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S2 41S 25E 1000FNL 2000FPL MCELMO CREEK S14 4303716300S1 Active 14-20-603-2057 NW NW S2 41S 25E 1000FNL 2000FNL 2000FNL 2000FNL 2000FNL 2000FNL 2000FNL 2000FNL 2000FNL 20 | | 14 | | 555 | | | | | | | - 115 | |
| MCELMO CREEK D13 43037162870051 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL | MCELMO CREEK | C14 | 430371626500S1 | Active | 14-20-0603-6509 | SE | NW | 2 | 41S | 24E | 2140FNL | 2140FWL |
| MCELMO CREEK E14 | | | 1 | | | | | | | | | |
| MCELMO CREEK E14 | MCELMO CREEK | D13 | 430371626700S1 | Active | 14-20-0603-6510 | NW | NE | 2 | 41S | 24E | 0820FNL | 1920FFL |
| MCELMO CREEK R09 | MCELMO CREEK | E14 | 430371626800S1 | Active | 14-20-0603-6510 | SE | | | | | | |
| MCELMO CREEK R11 | | | | | | | | | | | | 0000. 22 |
| MCELMO CREEK R11A 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0880FWL | MCELMO CREEK | T08 | 430371637700S1 | Shut-in | 14-20-603-2048A | sw | SE | 28 | 40S | 25F | 0660ESI | 1980FFI |
| MCELMO CREEK | | | | **** | | | | | | | OGGGI GE | 10001 EE |
| MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 1415 25E 0690FWL 0680FWL MCELMO CREEK R15 430371614900S1 Active 14-20-603-2057 NW NW 4 1415 25E 1990FSL 0500FWL MCELMO CREEK S10 430371615000S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FSL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 415 25E 2005FNL 1280FWL MCELMO CREEK S16 43037163000S1 Active 14-20-603-2057 NW W 4 415 25E 0700FSL 120FWL MCELMO CREEK T13 430371637900S1 Active 14-20-603-2057 NW NE | MCELMO CREEK | R09 | 430371614700S1 | Active | 14-20-603-2057 | NW | NW | 33 | 405 | 25F | 0500ENI | 0625EWI |
| MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 NW SW 4 41S 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1990FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161510OS1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 430373008000S1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 20390FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 33 40S 25E 9040FNL 2035FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 41S 25E 1050FNL 2090FEL MCELMO CREEK U10 43037163500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1050FNL 2090FEL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1050FNL 2050FNL MCELMO CREEK U14 43037161500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U16 43037161500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U15 43037163500S1 Active 14-20-603-2057 NW NW 3 41S 25E 1050FNL 2050FNL MCELMO CREEK U15 43037163500S1 Active 14-20-603-2057 NW NW 3 41S 25E 2050FNL 1050FNL MCELMO CREEK U15 430371530500S1 Active 14-20-603-263 NW NW NW 3 41S 25E 2050FNL 1050FNL MCELMO CREEK U17 430371530500S1 Active 14-20-603-263 NW NW NW 3 41S 25E 2060FNL 1050FNL MCELMO CREEK U17 430371530500S1 Active 14-20-603-263 NW NW NW 3 41S 25E 106 | MCELMO CREEK | R11A | | | | | | | | | | |
| MCELMO CREEK | MCELMO CREEK | R13 | | | | | | | | | | |
| MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE SW 33 40S 25E 0645FSL 2140FWL MCELMO CREEK S14 4303716150OS1 Active 14-20-603-2057 SE NW 4 41S 25E 005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T09A 43037300800OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 34 41S 25E 0700FSL 1820FWL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK T15 430371637900S1 Active 14-20-603-2057 NW NE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 43037163780OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 43037161550OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FSL 1890FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FSL 1806SFEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 33 40S 25E 1880FNL 0660FEL MCELMO CREEK U14 43037161550OS1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 43037163830OS1 Active 14-20-603-2057 NW NW NW NW SE 25E 0550FSL 0745FEL MCELMO CREEK U15 43037163830OS1 Active 14-20-603-2057 NW | MCELMO CREEK | R15 | | | | | | | | | | |
| MCELMO CREEK S12 | | | | | | | | | | | | |
| MCELMO CREEK S14 430371615100S1 Active 14-20-603-2057 SE NW 4 41S 25E 2005FNL 1820FWL | | | | | | | | | | | | |
| MCELMO CREEK S16 430371615200S1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL | | | | | | | | | | | | |
| MCELMO CREEK T19A 43037308000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL | | | | | | - | | | | | | |
| MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK T15 430371637800S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FSL MCELMO CREEK U14 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0505FSL 0745FEL MCELMO CREEK U16 430371638300S1 Active 14-20-603-2057 SE NE 4 41S 25E 0506FNL 0660FFL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 05060FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FNL 0500FWL MCELMO CREEK J17 430371638600S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FNL 0500FWL MCELMO CREEK J17 A30371638600S1 Active 14-20-603-263 NW SW 7 41S 25E 0506FNL 1990FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 7 41S 25E 0566FNL 1990FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 7 41S 25E 0566FNL 1990FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1800FWL MCELMO CREEK K24 43037163600S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1800FWL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1980FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FNL 1980FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 1850FNL 0700FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FN | | | | | | | Common Co | _ | | | | |
| MCELMO CREEK T15 | | | | | | | | | | | | |
| MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 1980FNL 0660FSL MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 0660FSL 0805FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0860FNL 0550FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 43037163500S1 Active 14-20-603-263 NW NW | | | | | | | | | | | | |
| MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL | | | | | | | | | | | | |
| MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-2057 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 1997FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 1800FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1980FSL 1980FEL MCELMO CREEK N19 43037155100S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 1980FSL MCELMO CREEK N19 43037155100S1 Active 14-20-603-263 NW NE 8 18 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NE 8 18 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FNL 0790FEL MCELMO CREEK N19 430371551400S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 0660FWL MCELMO CREEK N21 430371551400S1 Active 14-20-603-263 NW NW 18 41S | | | | | | | | | | | | |
| MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0950FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0956FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E | | | | | | | | | | | | |
| MCELMO CREEK V13 | | | | | | | | | | | | Andrew Co. Co. |
| MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 1980FSL 0560FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371549900S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 0400FNL 180FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE | | | | | | | | | | | | |
| MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 18 41S 25E 2056FNL 1997FWL MCELMO CREEK K18 43037163500S1 Active 14-20-603-263 SE NW 7 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K22 43037304000S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L17 43037163600S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550700S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 2140FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0790FEL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NW NE 7 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0600FNL 0660FWL MCELMO CREEK N21 43037155100S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1800FNL 0660FWL MCELMO CREEK N21 43037155100S1 Active 14-20-603-263 NW NW NW 17 41 | | | | | | | | | | | | |
| MCELMO CREEK J19 | WICELINO CREEK | V 15 | 43037163840051 | Active | 14-20-603-2057 | INW | SW | 3 | 415 | 25E | 1980FSL | 0560FWL |
| MCELMO CREEK J19 | MCELMO ODEEK | 147 | 10007454000004 | | 11.00.000.000 | | | | | | | |
| MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371636000S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550600S1 Active 14-20-603-263 NW NE | | | | | | | | | | | | |
| MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551500S1 Active 14-20-603-263 SE SE 7 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551600S1 Active 14-20-603-263 NW SW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 1890FWL | | | | | | | | | | _ | | |
| MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE | | | | | | | | | | | | |
| MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551100S1 Shut-in 14-20-603-263 SE NE | | | | | | | | | | | | |
| MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 26021 NL 15001 WL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW | ~ | | | | | | | - | | | 0660FSL | 1810FWL |
| MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0860FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW | | | | | | | | _ | | | 2082FNL | 1588FWL |
| MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FW | | | | | | | | 18 | 418 | 25E | 0660FSL | 1801FWL |
| MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0860FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW | | | | Active | 14-20-603-263 | NW | NE | 7 | 41S | 25E | 0660FNL | 1980FEL |
| MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW <t< td=""><td></td><td></td><td>430371550500S1</td><td>Active</td><td>14-20-603-263</td><td>NW</td><td>SE</td><td>7</td><td>418</td><td>25E</td><td>1860FSL</td><td>2140FEL</td></t<> | | | 430371550500S1 | Active | 14-20-603-263 | NW | SE | 7 | 418 | 25E | 1860FSL | 2140FEL |
| MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE | | L21 | 430371550600S1 | Active | 14-20-603-263 | NW | NE | 18 | 418 | 25E | 0820FNL | |
| MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | MCELMO CREEK | L23 | 430371550700S1 | Active | 14-20-603-263 | | | | | | | |
| MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | | M18 | 430371551000S1 | Active | 14-20-603-263 | | | _ | | $\overline{}$ | | |
| MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | | M20 | | | | | | _ | _ | | | |
| MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | MCELMO CREEK | N17 | | | | | | _ | | | | |
| MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | MCELMO CREEK | | | | | | | | | | | |
| MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL | | | | | | | | - | | | | |
| MOSING ODESIA DATA MOSINES MOS | | | | | | | | _ | | | | |
| MCELMO CREEK P17 430371551900S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FNL 1980FEL | | | | Active | 14-20-603-263 | | | _ | | | 0660FNL | 1980FEL |

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

| | | 399 300 727 | 1 | | | | | Surfa | ice Lo | cation | |
|----------------|---------|----------------|----------|----------------|-------|-------|------|------------|--------|-----------|-----------|
| Reg Lease Name | Well ID | API Num | Status | Reg Lease # | Qtr 1 | Qtr 2 | Sec | TTN | | NS Foot | EW Foot |
| Till co on is | | | - Clarac | Trog Zodoo II | | Q.(, | 1000 | | 1410 | 110 1 000 | LVV 1 OOL |
| MCELMO CREEK | P19 | 430371552000S1 | Active | 14-20-603-263 | NW | SE | 8 | 41S | 25E | 2140FSL | 1980FEL |
| MCELMO CREEK | P21 | 430371636900S1 | Active | 14-20-603-263 | NW | NE | 17 | | 25E | 0660FNL | 1980FEL |
| MCELMO CREEK | P23A | 430373143900S1 | Active | 14-20-603-263 | sw | NE | 17 | | | 2531FNL | 2325FEL |
| | | | | 585 | | | | | | -37 | |
| MCELMO CREEK | L25 | 430371550800S1 | Active | 14-20-603-264 | NW | NE | 19 | 41S | 25E | 0660FNL | 1980FEL |
| | | | V.II. | | | | | | | 11.52 | 1,1,1,1,1 |
| MCELMO CREEK | R17 | 430371597600S1 | Active | 14-20-603-359 | NW | NW | 9 | 418 | 25E | 0740FNL | 0560FWL |
| MCELMO CREEK | R19 | 430371637300S1 | Active | 14-20-603-359 | NW | sw | 9 | 418 | | 1980FSL | 0660FWL |
| MCELMO CREEK | R21 | 430371637400S1 | Active | 14-20-603-359 | NW | NW | 16 | | | 0511FNL | 0562FWL |
| MCELMO CREEK | T17 | 430371638000S1 | Active | 14-20-603-359 | NW | NE | 9 | | 25E | 0675FNL | 1933FEL |
| | | | | | | | | | | | |
| MCELMO CREEK | E21 | 430371634300S1 | Active | 14-20-603-370 | NE | NE | 14 | 41S | 24E | 0660FNL | 0660FEL |
| MCELMO CREEK | E23 | 430371634400S1 | Active | 14-20-603-370 | NE | SE | 14 | 41S | | 2031FSL | 0711FEL |
| MCELMO CREEK | G21A | 430373097400S1 | Active | 14-20-603-370 | NE | NW | 13 | 418 | | 0867FNL | 1883FWL |
| MCELMO CREEK | G23 | 430371634800S1 | Shut-in | 14-20-603-370 | NE | SW | 13 | 41S | 24E | 2092FSL | 1899FWL |
| MCELMO CREEK | G25 | 430371634900S1 | Active | 14-20-603-370 | NE | NW | 24 | 41S | 24E | 0660FNL | 1980FWL |
| MCELMO CREEK | 123 | 430371635200S1 | Active | 14-20-603-370 | NE | SE | 13 | 41S | | 1980FSL | 0660FEL |
| MCELMO CREEK | 125 | 430371635300S1 | Active | 14-20-603-370 | NE | NE | 24 | 41S | 24E | 0530FNL | 0820FEL |
| | | | | | 1 | | | 300 | | | |
| MCELMO CREEK | J11 | 430371635400S1 | TA'd | 14-20-603-372 | NW | SW | 31 | 40S | 25E | 1980FSL | 0660FWL |
| MCELMO CREEK | J13 | 430371635500S1 | Active | 14-20-603-372 | NW | NW | 6 | 41S | 25E | 0621FNL | 0580FWL |
| MCELMO CREEK | J15 | 430371595400S1 | Active | 14-20-603-372 | NW | SW | 6 | 41S | 25E | 1980FSL | 0500FWL |
| MCELMO CREEK | K12 | 430371595500S1 | Active | 14-20-603-372 | SW | SW | 31 | 40S | 25E | 0670FSL | 1970FWL |
| MCELMO CREEK | K14 | 430371595600S1 | Active | 14-20-603-372 | SE | NW | 6 | 41S | 25E | 1851FNL | 1885FWL |
| MCELMO CREEK | K16 | 430371595700S1 | Active | 14-20-603-372 | SE | SW | 6 | 41S | 25E | 0660FSL | 1816FWL |
| MCELMO CREEK | L09 | 430371635900S1 | Active | 14-20-603-372 | NW | NE | 31 | 40S | 25E | 0660FNL | 1980FEL |
| MCELMO CREEK | L13 | 430371595900S1 | Active | 14-20-603-372 | NW | NE | 6 | 418 | | 0778FNL | 1917FEL |
| MCELMO CREEK | L15 | 430371596000S1 | Active | 14-20-603-372 | NW | SE | 6 | 418 | | 1820FSL | 1830FEL |
| MCELMO CREEK | M10 | 430371596100S1 | Shut-in | 14-20-603-372 | SE | NE | 31 | 40S | 25E | 1980FNL | 0530FEL |
| MCELMO CREEK | M12 | 430371596200S1 | Active | 14-20-603-372 | SE | SE | 31 | 40S | 25E | 0590FSL | 0585FEL |
| MCELMO CREEK | M14 | 430371596300S1 | Active | 14-20-603-372 | SE | NE | 6 | 41S | 25E | 2089FNL | 0773FEL |
| MCELMO CREEK | M16 | 430371636100S1 | Active | 14-20-603-372 | SE | SE | 6 | 41S | 25E | 0660FSL | 0660FEL |
| MCELMO CREEK | N09 | 430371596400S1 | Shut-in | 14-20-603-372 | NW | NW | 32 | 40S | 25E | 0628FNL | 0615FWL |
| MCELMO CREEK | N11 | 430371596500S1 | Active | 14-20-603-372 | NW | SW | 32 | 40S | 25E | 2069FSL | 0618FWL |
| | N13 | 430371596600S1 | Active | 14-20-603-372 | NW | NW | 5 | 41S | 25E | 0840FNL | 0505FWL |
| | N15 | 430371636300S1 | Active | 14-20-603-372 | NW | SW | 5 | 41S | 25E | 2140FSL | 820FWL |
| MCELMO CREEK | 012 | 430371596800S1 | Active | 14-20-603-372 | SE | SW | 32 | 40S | 25E | 0809FSL | 1832FWL |
| | 014 | 430371636500S1 | Active | 14-20-603-372 | SE | NW | 5 | 41S | 25E | 2056FNL | 1997FWL |
| MCELMO CREEK | O16 | 430371596900S1 | Active | 14-20-603-372 | SE | SW | 5 | 41S | 25E | 0660FSL | 1980FWL |
| MCELMO CREEK | P09 | 430371636700S1 | Active | 14-20-603-372 | NW | NE | 32 | 40S | 25E | 0598FNL | 2100FEL |
| MCELMO CREEK | P11 | 430371597101S2 | Active | 14-20-603-372 | NW | SE | 32 | 40S | 25E | 2105FSL | 2006FEL |
| MCELMO CREEK | P13 | 430371636800S1 | Active | 14-20-603-372 | NW | NE | 5 | 41S | 25E | 0610FNL | 1796FWL |
| MCELMO CREEK | P15 | 430371597200S1 | Active | 14-20-603-372 | NW | SE | 5 | 41S | 25E | 1980FSL | 1980FEL |
| MCELMO CREEK | Q10 | 430371597301S1 | Active | 14-20-603-372 | SE | NE | 32 | 40S | 25E | 1899FNL | 0532FEL |
| MCELMO CREEK | Q16 | 430371597500S1 | TA'd | 14-20-603-372 | SE | SE | 5 | 41S | 25E | 0660FSL | 0660FEL |
| | | | | | | | | | | | |
| | F13 | 430371634500S1 | Active | 14-20-603-4032 | | | | 41S | | 0795FNL | 0535FWL |
| | F15A | 430373114900S1 | Active | 14-20-603-4032 | | | 1 | 41S | 24E | 1920FSL | 0624FWL |
| MCELMO CREEK | G14 | 430371614300S1 | Active | 14-20-603-4032 | SE | NW | 1 | 41S | 24E | 1980FNL | 1980FWL |
| MCELMO CREEK | G16 | 430371614400S1 | Active | 14-20-603-4032 | SE | SW | | 418 | | 0820FSL | 1820FWL |
| MCELMO CREEK | H13 | 430371635100S1 | Active | 14-20-603-4032 | NW | NE | | 41S | | | 2110FEL |
| MCELMO CREEK | I-14 | 430371614500S1 | Active | 14-20-603-4032 | SE | NE | | 41S | | 1980FNL | 0660FEL |
| | | | | - 1112// | | | | | | | |

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

| Reg Lease Name | Well ID | API Num | Status | Reg Lease # | Surface Location | | | | | | |
|----------------|---------|----------------|---------|----------------|------------------|-------|-----|------|-----|---------|---------|
| | | | | | Qtr 1 | Qtr 2 | Sec | TN | RNG | NS Foot | EW Foot |
| | | | | | | | | N/Sc | | | |
| MCELMO CREEK | F17 | 430371549300S1 | Active | 14-20-603-4039 | NW | NW | 12 | 41S | 24E | 0740FNL | 0500FWL |
| MCELMO CREEK | G18 | 430371549400S1 | Active | 14-20-603-4039 | SE | NW | 12 | 41S | 24E | 1980FNL | 1980FWL |
| MCELMO CREEK | H15 | 430371549500S1 | Active | 14-20-603-4039 | NW | SE | 1 | 41S | 24E | 1980FSL | 1980FEL |
| MCELMO CREEK | H17 | 430371549600S1 | Active | 14-20-603-4039 | NE | NW | 12 | 41S | 24E | 0660FNL | 1980FEL |
| MCELMO CREEK | l18 | 430371570900S1 | Active | 14-20-603-4495 | SE | NE | 12 | 418 | 24E | 1840FNL | 0555FEL |
| MCELMO CREEK | E19 | 430371634200S1 | Shut-in | 14-20-603-5449 | NE | SE | 11 | 41S | 24E | 1980FSL | 0660FEL |
| MCELMO CREEK | G19 | 430371634600S1 | Active | 14-20-603-5450 | NE | SW | 12 | 41S | 24E | 1350FSL | 1800FWL |
| MCELMO CREEK | 120 | 430371571000S1 | Active | 14-20-603-5451 | SE | SE | 12 | 41S | 24E | 0990FSL | 0500FEL |
| MCELMO CREEK | N07 | 430371636200S1 | Active | I-149-IND-8839 | NE | sw | 29 | 40S | 25E | 2083FSL | 745FWL |
| MCELMO CREEK | P07 | 430371636600S1 | Active | I-149-IND-8839 | NW | SE | 29 | 40S | 25E | 1820FSL | 2140FEL |
| MCELMO CREEK | 010 | 430371596700S1 | Active | NOG99041325 | SE | NW | 32 | 40\$ | 25E | 2086FNL | 1944FWL |